




2017 GENUINE RIGGING-PARTS AND ACCESSORIES

Suzuki's "Way of Life!" is the heart of our brand - every Suzuki vehicle, motorcycle and outboard motor is built to create excitement so customers can enjoy everyday life.



Please read your Owner's Manual carefully. Remember, boating and alcohol or other drugs don't mix. Always wear a personal flotation device when boating. Please operate your outboard safely and responsibly.

Suzuki encourages you to operate your boat safely and with respect for the marine environment.

Specifications, appearances, equipment, colors, materials and other items of "SUZUKI" products shown in this catalog are subject to change by manufacturers at any time without notice and they may vary depending on local conditions or requirements. Some models are not available in some territories. Each model might be discontinued without notice. Please enquire at your local dealer for details of any such changes. Actual body color might differ from the colors in this brochure.

**THE
ULTIMATE
4-STROKE OUTBOARD**

SUZUKI

SUZUKI MOTOR CORPORATION
300 TAKATSUKA-CHO, MINAMI-KU, HAMAMATSU-SHI, SHIZUOKA 432-8611 JAPAN
www.global.suzuki.com

2017 OBM RIGGING PART CATALOGUE (INTERNAL)
99000-79N12-337
Printed in Japan, October 2016.

Internal use only



* Always wear a lifejacket when boating and a kill cord when operating an outboard.

...one that provides boaters with the utmost in excitement and satisfaction.

THE
ULTIMATE
4-STROKE OUTBOARD

We, Suzuki, have spent an enormous amount of time on the water comparing, developing, and testing outboards, and just plain enjoying boating. So long ago we concluded that the ultimate outboard is one that gives the user a sense of excitement and satisfaction.

To that end, we focus our time, energy, knowledge, skills, and the most advanced technologies at our disposal, exploring and developing technologies and designs that give our outboards a superior edge, whether it be in the form of improved performance, greater durability, higher fuel efficiency, or quieter operation.

We will be continued challenge towards new technological innovations and higher target so that we can provide you with the ultimate experience on the water.

Dear Suzuki Dealer,

Quality. Dependability. Innovation. Everything that you expect from your outboard motors is delivered with style by SUZUKI.

Demand no less from the products that you choose to enhance your total boating pleasure. Demand SUZUKI GENUINE ACCESSORIES.

This catalogue represents our commitment to provide you with the finest products available.

From our classic line of matching instruments and gauges to our custom-engineered propellers and rigging items, you can depend on SUZUKI GENUINE ACCESSORIES for optimum performance.

Take a few minutes to browse through this catalogue, and then be sure to contact your AUTHORIZED SUZUKI DISTRIBUTOR for further information.

Thank you.

SUZUKI MOTOR CORPORATION

TABLE OF CONTENTS

ONE THAT PROVIDES BOATERS WITH THE UTMOST IN EXCITEMENT AND SATISFACTION	02	STEERING	42
SUZUKI MULTI-FUNCTION GAUGE	06	ELECTRICAL PARTS	44
COMPONENT OF SUZUKI MULTI-FUNCTION GAUGE	18	FUEL SYSTEM	46
SUZUKI KEYLESS START SYSTEM	20	PROPELLER	48
ANALOG INSTRUMENT	24	CARE & MAINTENANCE ITEM	52
ELECTRONIC THROTTLE AND SHIFT SYSTEM	26	SUZUKI MAINTENANCE KITS	54
COMPONENT OF SUZUKI PRECISION CONTROL	34	ANODE	56
MECHANICAL REMOTE CONTROL SYSTEM	36	MERCHANDISE	57
COMPONENT OF MECHANICAL REMOTE CONTROL SYSTEM	40	Recommended STEERING SYSTEM	58
		APPLICATION CHART	60



MODEL NAME AND ENGINE NUMBER

NOTE : Items and their part numbers showing in this catalogue are basically applicable to models of following engine numbers. Please consult your local dealers regarding other models and their rigging-parts and accessories.

model	engine number
DF300AP	30002P-710001~
DF250AP	25003P-710001~
DF250T	25003F-710001~
DF250Z	25003Z-710001~
DF225T	22503F-710001~
DF225Z	22503Z-710001~
DF200T	20002F-710001~
DF200Z	20002Z-710001~

model	engine number
DF200AP	20003P-710001~
DF200AT	20003F-710001~
DF200AZ	20003Z-710001~
DF175AP	17503P-710001~
DF175T	17502F-710001~
DF175Z	17502Z-710001~
DF150AP	15003P-710001~
DF150T	15002F-710001~

model	engine number
DF150Z	15002Z-710001~
DF140AT	14003F-710001~
DF140AZ	14003Z-710001~
DF115AT	11503F-710001~
DF115AZ	11503Z-710001~
DF100AT	10003F-710001~
DF90A	09003F-710001~
DF80A	08003F-710001~

model	engine number
DF70A	07003F-710001~
DF60A	06002F-710001~
DF60AV	06003F-710001~
DF50A	05003F-710001~
DF50AV	05004F-710001~
DF40A	04003F-710001~
DF30A	03003F-710001~
DF25A	02504F-710001~

model	engine number
DF15A	01504F-710001~
DF9.9B	00995F-710001~
DF9.9A	00994F-710001~
DF8A	00801F-710001~
DF6A	00603F-710001~
DF5A	00503F-710001~
DF4A	00403F-710001~
DF2.5	00252F-710001~

model	engine number
DT40W	04005-710001~
DT40WK	04005K-710001~
DT30	03005-710001~
DT25K	02503K-710001~
DT15A	01504-710001~
DT15AK	01503K-710001~
DT9.9A	00996-710001~
DT9.9AK	00993K-710001~

REFERENCE

Part Number	15-digit alpha-numerical number shows Part Number to be used for ordering.
Gauge Size	Shows the size (2" or 4") of the gauge.
Background	Shows a main color of display panel on the front of a gauge.
Applicable Model	Shows typical or recommended models of ENGINES that RIGGING-PARTS and ACCESSORIES can be installed to.
Maximum Speed	Shows maximum speed that SPEEDOMETER displays.
kph	Kilometers Per Hour
mph	Miles Per Hour
knots	Knots

SUZUKI MULTI-FUNCTION GAUGE



34011-96L11-000
GAUGE ASSY, MULTI

MAIN FEATURES


- HIGH PERFORMANCE**
- Multi-Function Gauge displays a wide variety of information such as engine rpm, speed, trim angle, as well as diagnostics based on digital data received from the outboard motor.
 - Gauges offer great reliability utilizing Suzuki's original warning system to provide the operator with accurate warning information.
 - NMEA2000® terminal offers compatibility with a wide range of marine equipment by other manufacturers. *1

- SUPERIOR VISIBILITY**
- Suzuki's next generation standard equipment gauge offers easy to use multi-function operation with superior readability.
 - Easy to see, easy to read, easy to understand display offers a variety of modes including day and night modes and digital or analog readouts.

- COMPACT**
- Compact, highly versatile gauge requires an 85mm hole for mounting, making them the perfect replacement for 4-inch analog gauges. *2

*1 NMEA2000® is an NMEA (National Marine Electronics Association) standard communication protocol used for exchanging data between marine control units.
*2 4-inch gauges that require 85mm mounting holes (as researched by Suzuki).


- Tips**
- Multi-Function gauge can be
- Used for multiple engines
 - Used for single engine
 - Used in multiple gauge for single engine



■ How are you going to use it?



DISPLAY VARIATIONS



INFORMATION


ANALOG TACHO & SPEED MODE

Engine position Engine rpm Ground or Water



* Speed sensor or GPS module will be required in order to display the speed.

TACHO MODE



- Fuel flow [l/h, gph] (instantaneous)
- Mileage [km/l, mpg] (instantaneous and average)
- Trip time [h], Trip distance [km, M, NM]
- Engine hour, Voltage, Water temp and more...

SPECIFICATIONS

- 3.5" Color display
- Size: 105mm(W)×105mm(H)×16mm(D)
- Diagnostic display
- Easy installation and setup
- Φ85mm hole & large resin nut
- Includes protective cover
- NMEA2000 output
- Applicable models: DF9.9B-DF300AP


• Design and specifications may change without notice due to improvements in performance and function.



Protective cover
(34211-96L00-000)

SUZUKI MULTI-FUNCTION GAUGE

SUZUKI MULTI-FUNCTION GAUGE for MECHANICAL SINGLE



Basic Component

1 GAUGE ASSY, MULTI

2 WIRE COMP, GAUGE POWER

5 WIRE COMP, EXTENSION

6 HARNESS ASSY, NETWORK POWER

7 CONNECTOR COMP, BRANCH

8 UNIT COMP, RESISTOR FEMALE

9 UNIT COMP, RESISTOR MALE

12 ADAPTER COMP, GAUGE


14 SENSOR ASSY, PADDLE WHEEL

GPS RECEIVER MODULE

SUZUKI MULTI-FUNCTION GAUGE for MECHANICAL SINGLE				KIT		Total Required Quantity
	PART NUMBER	PART NAME	LENGTH	A. GAUGE KIT	B. CABLE KIT	
				34000-96L41-000	36001-88L00-000	
1	34011-96L11-000	GAUGE ASSY, MULTI	-	1	-	1
2	36663-98J00-000	WIRE COMP, GAUGE POWER	2.5m	-	-	1
	36663-98J10-000		6.0m	1	-	
5	36662-88L10-000	WIRE COMP, EXTENSION	0.6m	-	1	(1)
	36662-88L20-000		1.8m	-	-	
6	36663-88L00-000	HARNESS ASSY, NETWORK POWER	-	-	1	(1)
7	36664-88L00-000	CONNECTOR COMP, BRANCH	-	-	1	(1)
8	36665-88L00-000	UNIT COMP, RESISTOR FEMALE	-	-	1	(1)
9	36665-88L10-000	UNIT COMP, RESISTOR MALE	-	-	1	(1)
12	36661-96L10-000	ADAPTER COMP, GAUGE	-	1	-	1
14A	34190-88L00-000	SENSOR ASSY, PADDLE WHEEL	-	-	-	(1)
14B	39950-88L02-000	GPS RECEIVER MODULE	-	-	-	(1)
18	36660-89L00-000	SMFG, ADAPTER	-	-	-	<1>

■*()parts are required when using GPS module or water speed.
■*< >part are required when using with DF9.9B to 30A.

SUZUKI MULTI-FUNCTION GAUGE for MECHANICAL DUAL



Basic Component

In addition to component of [MECHANICAL SINGLE]


3 ADAPTER, GAUGE FOR MULTI

SUZUKI MULTI-FUNCTION GAUGE for MECHANICAL DUAL				KIT	Total Required Quantity
	PART NUMBER	PART NAME	LENGTH	A. GAUGE KIT	
				34000-96L51-000	A (+14)
1	34011-96L11-000	GAUGE ASSY, MULTI	-	2	2
2	36663-98J00-000	WIRE COMP, GAUGE POWER	2.5m	-	1
	36663-98J10-000		6.0m	1	
3	36665-87L00-000	ADAPTER, GAUGE FOR MULTI	-	1	1
5	36662-88L10-000	WIRE COMP, EXTENSION	0.6m	2	2
	36662-88L20-000		1.8m	-	
6	36663-88L00-000	HARNESS ASSY, NETWORK POWER	-	1	1
7	36664-88L00-000	CONNECTOR COMP, BRANCH	-	2	2
8	36665-88L00-000	UNIT COMP, RESISTOR FEMALE	-	1	1
9	36665-88L10-000	UNIT COMP, RESISTOR MALE	-	1	1
12	36661-96L10-000	ADAPTER COMP, GAUGE	-	2	2
14A	34190-88L00-000	SENSOR ASSY, PADDLE WHEEL	-	-	(1)
14B	39950-88L02-000	GPS RECEIVER MODULE	-	-	(1)

■*()parts are required when using GPS module or water speed.

ADDITIONAL GAUGE COMPONENTS				Total Required
	PART NUMBER	PART NAME	LENGTH	
1	34011-96L11-000	GAUGE ASSY, MULTI	-	1
5	36662-88L10-000	WIRE COMP, EXTENSION	0.6m	1
	36662-88L20-000		1.8m	
7	36664-88L00-000	CONNECTOR COMP, BRANCH	-	1
15	36667-96L11-000	WIRE COMP, DUAL GAUGE ADAPTER	-	1
17	36667-96L20-000	WIRE, GAUGE EXT	-	-


Please use "36667-96L20-000 WIRE, GAUGE EXT" as an extension between "34011-96L11" and "36667-96L11"




SUZUKI MULTI-FUNCTION GAUGE

SUZUKI MULTI-FUNCTION GAUGE for SUZUKI PRECISION CONTROL SINGLE

SINGLE STATION



DUAL STATION



In addition to component of [SINGLE STATION]

4 WIRE COMP, GAUGE EXT



TOTAL REQUIREMENT LIST

SUZUKI MULTI-FUNCTION GAUGE for SUZUKI PRECISION CONTROL (S.P.C) SINGLE		Total Required Quantity					
PART NUMBER	PART NAME	SINGLE STATION	SINGLE STATION (Using Water Speed)	SINGLE STATION (Using GPS module)	DUAL STATION	DUAL STATION (Using Water Speed)	DUAL STATION (Using GPS module)
34000-96L61-000	GAUGE KIT	1	1	1	1	1	1
36001-88L00-000	CABLE KIT	-	1	1	1	1	1
34002-96L11-000	DUAL STATION KIT	-	-	-	1	1	1
10	36662-88L30-000 36662-88L00-000 WIRE COMP, EXTENSION	-	-	-	1	1	1
14A	34190-88L00-000 SENSOR ASSY, PADDLE WHEEL	-	1	-	-	1	-
14B	39950-88L02-000 GPS RECEIVER MODULE	-	-	1	-	-	1

COMPONENT LIST

KIT COMPONENT				KIT		
	PART NUMBER	PART NAME	LENGTH	GAUGE KIT 34000-96L61-000	CABLE KIT 36001-88L00-000	DUAL STATION KIT 34002-96L11-000
1	34011-96L11-000	GAUGE ASSY, MULTI	-	1	-	1
2	36663-98J10-000	WIRE COMP, GAUGE POWER	6.0m	1	-	-
4	36682-92E00-000	WIRE COMP, GAUGE EXT	6.4m	-	-	1
5	36662-88L10-000	WIRE COMP, EXTENSION	0.6m	-	1	1
6	36663-88L00-000	HARNESS ASSY, NETWORK POWER	-	-	1	-
7	36664-88L00-000	CONNECTOR COMP, BRANCH	-	-	1	1
8	36665-88L00-000	UNIT COMP, RESISTOR FEMALE	-	-	1	-
9	36665-88L10-000	UNIT COMP, RESISTOR MALE	-	-	1	-
11	36666-96L00-000	ADAPTER, GAUGE POWER	-	-	-	1
12	36661-96L00-000	ADAPTER COMP, GAUGE	-	1	-	-
16	36665-96L00-000	ADAPTER COMP, DUAL STATION	-	-	-	1

Optional Component list


2	36663-98J00-000	WIRE COMP, GAUGE POWER	2.5m
5	36662-88L20-000	WIRE COMP, EXTENSION	1.8m
	36662-88L30-000	WIRE COMP, EXTENSION	4.7m
10	36662-88L00-000	WIRE COMP, EXTENSION	7.6m
14A	34190-88L00-000	SENSOR ASSY, PADDLE WHEEL	
14B	39950-88L02-000	GPS RECEIVER MODULE	

Component Parts

1	GAUGE ASSY, MULTI	2	WIRE COMP, GAUGE POWER	5	WIRE COMP, EXTENSION	6	HARNESS ASSY, NETWORK POWER	7	CONNECTOR COMP, BRANCH
8	UNIT COMP, RESISTOR FEMALE	9	UNIT COMP, RESISTOR MALE	12	ADAPTER COMP, GAUGE	14	SENSOR ASSY, PADDLE WHEEL		GPS RECEIVER MODULE

SUZUKI MULTI-FUNCTION GAUGE

SUZUKI MULTI-FUNCTION GAUGE for SUZUKI PRECISION CONTROL DUAL



TOTAL REQUIREMENT LIST

SUZUKI MULTI-FUNCTION GAUGE for SUZUKI PRECISION CONTROL (S.P.C) DUAL		Total Required Quantity					
PART NUMBER	PART NAME	SINGLE STATION	SINGLE STATION (Using Water Speed)	SINGLE STATION (Using GPS module)	DUAL STATION	DUAL STATION (Using Water Speed)	DUAL STATION (Using GPS module)
34000-96L71-000	GAUGE KIT	1	1	1	1	1	1
34002-96L11-000	DUAL STATION KIT	-	-	-	1	1	1
1	34011-96L11-000 GAUGE ASSY, MULTI	-	-	-	1	1	1
5	36662-88L10-000 WIRE COMP, EXTENSION	-	-	-	1	1	1
7	36664-88L00-000 CONNECTOR COMP, BRANCH	-	-	-	1	1	1
10	36662-88L30-000 WIRE COMP, EXTENSION	-	-	-	1	1	1
14A	34190-88L00-000 SENSOR ASSY, PADDLE WHEEL	-	1	-	-	1	-
14B	39950-88L02-000 GPS RECEIVER MODULE	-	-	1	-	-	1
15	36667-96L11-000 WIRE COMP, GAUGE ADAPTER	-	-	-	1	1	1
16	36665-96L00-000 ADAPTER COMP, DUAL STATION	-	-	-	1	1	1

COMPONENT LIST

KIT COMPONENT				KIT	
	PART NUMBER	PART NAME	LENGTH	GAUGE KIT 34000-96L71-000	DUAL STATION KIT 34002-96L11-000
1	34011-96L11-000	GAUGE ASSY, MULTI	-	2	1
2	36663-98J10-000	WIRE COMP, GAUGE POWER	6.0m	1	-
4	36682-92E00-000	WIRE COMP, GAUGE EXT	6.4m	-	1
5	36662-88L10-000	WIRE COMP, EXTENSION	0.6m	2	1
6	36663-88L00-000	HARNESS ASSY, NETWORK POWER	-	1	-
7	36664-88L00-000	CONNECTOR COMP, BRANCH	-	2	1
8	36665-88L00-000	UNIT COMP, RESISTOR FEMALE	-	1	-
9	36665-88L10-000	UNIT COMP, RESISTOR MALE	-	1	-
11	36666-96L00-000	ADAPTER, GAUGE POWER	-	-	1
12	36661-96L00-000	ADAPTER COMP, GAUGE	-	1	-
13	36667-96L00-000	WIRE COMP, GAUGE ADAPTER	-	1	-
16	36665-96L00-000	ADAPTER COMP, DUAL STATION	-	-	1

Optional Component list

2	36663-98J00-000	WIRE COMP, GAUGE POWER	2.5m
5	36662-88L20-000	WIRE COMP, EXTENSION	1.8m
10	36662-88L30-000	WIRE COMP, EXTENSION	4.7m
10	36662-88L00-000	WIRE COMP, EXTENSION	7.6m
14A	34190-88L00-000	SENSOR ASSY, PADDLE WHEEL	
14B	39950-88L02-000	GPS RECEIVER MODULE	
15	36667-96L11-000	WIRE COMP, GAUGE ADAPTER	

Component Parts

1

GAUGE ASSY, MULTI

2

WIRE COMP, GAUGE POWER

5

WIRE COMP, EXTENSION

6

HARNESS ASSY, NETWORK POWER

7

CONNECTOR COMP, BRANCH

8

UNIT COMP, RESISTOR FEMALE

9

UNIT COMP, RESISTOR MALE

12

ADAPTER COMP, GAUGE


14

SENSOR ASSY, PADDLE WHEEL

GPS RECEIVER MODULE

SUZUKI MULTI-FUNCTION GAUGE

SUZUKI MULTI-FUNCTION GAUGE for SUZUKI PRECISION CONTROL TRIPLE



TOTAL REQUIREMENT LIST

SUZUKI MULTI-FUNCTION GAUGE for SUZUKI PRECISION CONTROL (S.P.C) TRIPLE		Total Required Quantity					
PART NUMBER	PART NAME	SINGLE STATION	SINGLE STATION (Using Water Speed)	SINGLE STATION (Using GPS module)	DUAL STATION	DUAL STATION (Using Water Speed)	DUAL STATION (Using GPS module)
34000-96L71-000	GAUGE KIT	1	1	1	1	1	1
34002-96L11-000	DUAL STATION KIT	-	-	-	1	1	1
1	34011-96L11-000 GAUGE ASSY, MULTI	1	1	1	3	3	3
5	36662-88L10-000 WIRE COMP, EXTENSION	1	1	1	3	3	3
7	36664-88L00-000 CONNECTOR COMP, BRANCH	1	1	1	3	3	3
10	36662-88L30-000 WIRE COMP, EXTENSION	-	-	-	1	1	1
14A	34190-88L00-000 SENSOR ASSY, PADDLE WHEEL	-	1	-	-	1	-
14B	39950-88L02-000 GPS RECEIVER MODULE	-	-	1	-	-	1
15	36667-96L11-000 WIRE COMP, GAUGE ADAPTER	-	-	-	2	2	2
16	36665-96L00-000 ADAPTER COMP, DUAL STATION	-	-	-	1	1	1

COMPONENT LIST

KIT COMPONENT				KIT	
	PART NUMBER	PART NAME	LENGTH	A. GAUGE KIT	B. DUAL STATION KIT
				34000-96L71-000	34002-96L11-000
1	34011-96L11-000	GAUGE ASSY, MULTI	-	2	1
2	36663-98J10-000	WIRE COMP, GAUGE POWER	6.0m	1	-
4	36682-92E00-000	WIRE COMP, GAUGE EXT	6.4m	-	1
5	36662-88L10-000	WIRE COMP, EXTENSION	0.6m	2	1
6	36663-88L00-000	HARNESS ASSY, NETWORK POWER	-	1	-
7	36664-88L00-000	CONNECTOR COMP, BRANCH	-	2	1
8	36665-88L00-000	UNIT COMP, RESISTOR FEMALE	-	1	-
9	36665-88L10-000	UNIT COMP, RESISTOR MALE	-	1	-
11	36666-96L00-000	ADAPTER, GAUGE POWER	-	-	1
12	36661-96L00-000	ADAPTER COMP, GAUGE	-	1	-
13	36667-96L00-000	WIRE COMP, GAUGE ADAPTER	-	1	-
16	36665-96L00-000	ADAPTER COMP, DUAL STATION	-	-	1

Optional Component list

2	36663-98J00-000	WIRE COMP, GAUGE POWER	2.5m
5	36662-88L20-000	WIRE COMP, EXTENSION	1.8m
10	36662-88L30-000	WIRE COMP, EXTENSION	4.7m
	36662-88L00-000	WIRE COMP, EXTENSION	7.6m
14A	34190-88L00-000	SENSOR ASSY, PADDLE WHEEL	
14B	39950-88L02-000	GPS RECEIVER MODULE	
15	36667-96L11-000	WIRE COMP, GAUGE ADAPTER	

Component Parts

1

GAUGE ASSY,
MULTI

2

WIRE COMP,
GAUGE POWER

5

WIRE COMP,
EXTENSION

6

HARNESS ASSY,
NETWORK POWER

7

CONNECTOR COMP,
BRANCH

8

UNIT COMP,
RESISTOR FEMALE

9

UNIT COMP,
RESISTOR MALE

12

ADAPTER COMP,
GAUGE


14

SENSOR ASSY,
PADDLE WHEEL

GPS RECEIVER
MODULE

SUZUKI MULTI-FUNCTION GAUGE

SUZUKI MULTI-FUNCTION GAUGE for SUZUKI PRECISION CONTROL QUADRAPLE



TOTAL REQUIREMENT LIST

SUZUKI MULTI-FUNCTION GAUGE for SUZUKI PRECISION CONTROL (S.P.C) QUADRAPLE		Total Required Quantity					
PART NUMBER	PART NAME	SINGLE STATION	SINGLE STATION (Using Water Speed)	SINGLE STATION (Using GPS module)	DUAL STATION	DUAL STATION (Using Water Speed)	DUAL STATION (Using GPS module)
34000-96L71-000	GAUGE KIT	1	1	1	1	1	1
34002-96L11-000	DUAL STATION KIT	-	-	-	1	1	1
1	34011-96L11-000 GAUGE ASSY, MULTI	2	2	2	5	5	5
3	36665-87L00-000 ADAPTER, GAUGE FOR MULTI	1	1	1	1	1	1
4	36682-92E00-000 WIRE COMP, GAUGE EXT	-	-	-	1	1	1
5	36662-88L10-000 WIRE COMP, EXTENSION	2	2	2	5	5	5
7	36664-88L00-000 CONNECTOR COMP, BRANCH	2	2	2	5	5	5
10	36662-88L30-000 WIRE COMP, EXTENSION	-	-	-	1	1	1
12	36661-96L00-000 ADAPTER COMP, GAUGE	1	1	1	1	1	1
13	36667-96L00-000 WIRE COMP, GAUGE ADAPTER	1	1	1	1	1	1
14A	34190-88L00-000 SENSOR ASSY, PADDLE WHEEL	-	1	-	-	1	-
14B	39950-88L02-000 GPS RECEIVER MODULE	-	-	1	-	-	1
16	36665-96L00-000 ADAPTER COMP, DUAL STATION	-	-	-	1	1	1

COMPONENT LIST

KIT COMPONENT				KIT	
	PART NUMBER	PART NAME	LENGTH	GAUGE KIT 34000-96L71-000	DUAL STATION KIT 34002-96L11-000
1	34011-96L11-000	GAUGE ASSY, MULTI	-	2	1
2	36663-98J10-000	WIRE COMP, GAUGE POWER	6.0m	1	-
4	36682-92E00-000	WIRE COMP, GAUGE EXT	6.4m	-	1
5	36662-88L10-000	WIRE COMP, EXTENSION	0.6m	2	1
6	36663-88L00-000	HARNESS ASSY, NETWORK POWER	-	1	-
7	36664-88L00-000	CONNECTOR COMP, BRANCH	-	2	1
8	36665-88L00-000	UNIT COMP, RESISTOR FEMALE	-	1	-
9	36665-88L10-000	UNIT COMP, RESISTOR MALE	-	1	-
11	36666-96L00-000	ADAPTER, GAUGE POWER	-	-	1
12	36661-96L00-000	ADAPTER COMP, GAUGE	-	1	-
13	36667-96L00-000	WIRE COMP, GAUGE ADAPTER	-	1	-
16	36665-96L00-000	ADAPTER COMP, DUAL STATION	-	-	1

Optional Component list

2	36663-98J00-000	WIRE COMP, GAUGE POWER	2.5m
3	36665-87L00-000	ADAPTER, GAUGE FOR MULTI	
5	36662-88L20-000	WIRE COMP, EXTENSION	1.8m
10	36662-88L30-000	WIRE COMP, EXTENSION	4.7m
	36662-88L00-000	WIRE COMP, EXTENSION	7.6m
14A	34190-88L00-000	SENSOR ASSY, PADDLE WHEEL	
14B	39950-88L02-000	GPS RECEIVER MODULE	

Component Parts

1

GAUGE ASSY, MULTI

2

WIRE COMP, GAUGE POWER

5

WIRE COMP, EXTENSION

6

HARNESS ASSY, NETWORK POWER

7

CONNECTOR COMP, BRANCH

8

UNIT COMP, RESISTOR FEMALE

9

UNIT COMP, RESISTOR MALE

12


ADAPTER COMP, GAUGE

14


SENSOR ASSY, PADDLE WHEEL

GPS RECEIVER MODULE

COMPONENT OF SUZUKI MULTI-FUNCTION GAUGE



POWER CABLE



CONNECTION HARDWARE

NMEA2000® compatible sensors or other devices are able to use by the use of T-connectors throughout the system.

GAUGE ADAPTER



36661-96L10-000

36661-96L00-000

TRIM METER WIRE



36682-92E00-000

6.4m

36666-96L00-000

GAUGE POWER ADAPTER

EXTENSION CABLE



36662-88L10-000

0.6 meters

36662-88L20-000

1.8 meters

36662-88L30-000

4.6 meters

36662-88L00-000

7.6 meters

POWER CABLE WITH T-CONNECTOR



34190-88L00-000

The fused (3A) lead connects the extension cable to the power source.

T-CONNECTOR



36664-88L00-000

T-connectors link all compatible cables, data and sensor devices, and can be easily secured.

TERMINATOR FEMALE



36665-88L00-000

120-ohm terminators are required for any open cable ends in the system.

TERMINATOR MALE



36665-88L10-000

T-connectors link all compatible cables, data and sensor devices, and can be easily secured.

GAUGE ADAPTER



36665-87L00-000

For using multiple SMFGs

36665-96L00-000

DUAL STATION ADAPTER

ACTIVE HUB POWER HARNESS



36663-98J00-000

2.5m

36663-98J10-000

6.0m

DUAL GAUGE ADAPTER WIRE


36667-96L00-000

GAUGE ADAPTER WIRE

36667-96L11-000

GAUGE EXTENSION WIRE

36667-96L20-000



SENSORS

SPEED SENSOR WITH T-CONNECTOR



34190-88L00-000

Paddle wheel-type speed sensor. 10ft cable.

GPS RECEIVER MODULE WITH T-CONNECTOR



39950-88L02-000

Displays the accurate location and speed on Multi-Function Gauges.

SUZUKI KEYLESS START SYSTEM

HIGH SECURITY

- Suzuki original engine starting system features an **immobilizer** function for added peace of mind. IC access codes installed in the key-fob and engine must match for the engine to start. This prevents starting the engine with the wrong key making the system a good theft deterrent as well.




EASY OPERATION

- Suzuki original engine starting system offers a variety of functions. The key-fob is easy to carry and one is all you need to enjoy stress-free starts for greater boating pleasure.
- One step ahead of the competition, the Suzuki Keyless Start System requires no mechanical key so the key-fob remains safely in your pocket.

WATERPROOF FLOAT KEY-FOB

- The easy to carry key-fob remains safely in your pocket reducing risk of a lost key. The key-fob is waterproof and floats so should it ever go overboard it is retrievable.



Find out more by watching our videos


Basic Component

1 MAIN SWITCH PANEL	2 BUZZER	3 KEYLESS CONTROL UNIT	4 KEYLESS FOB
5 KEYLESS CONTROL HARNESS	6 KEYLESS CAN HARNESS	7 CAN EXTENSION HARNESS	8 KEYLESS RELAY ASSY
9 KEYLESS PARTS HOLDER	10 CDI UNIT HOLDER	11 CUSHION	

Reffer to the next page for details

SUZUKI KEYLESS START SYSTEM

SUZUKI KEYLESS START SYSTEM for SUZUKI PRECISION CONTROL (S.P.C)





Basic Component



SUZUKI KEYLESS START SYSTEM for SUZUKI PRECISION CONTROL (S.P.C)				KIT		Total Required Quantity			
				CONTROLLER SET	HARNESS SET				
				37170-96L03	37105-96L01				
	PART NUMBER	PART NAME	LENGTH	37170-96L13		SINGLE	DUAL	TRIPLE	QUAD
1	37100-96L00-000	MAIN SWITCH PANEL	-	-	-	1	1	1	1
2	38500-93J90-000	BUZZER	-	-	1	1	1	1	1
3	37171-96L02-000	KEYLESS CONTROL UNIT	-	1	-	1	1	1	1
	37171-96L12-000		-						
4	37172-96L00-000	KEYLESS FOB	-	2	-	2	2	2	2
	37172-96L10-000		-						
5	36623-96L01-000	KEYLESS CONTROL HARNESS	-	-	1	1	1	1	1
6	36662-96L00-000	KEYLESS CAN HARNESS	6.5	-	1	1	1	1	1
7	36664-96L00-000	CAN EXTENSION HARNESS	0.8	-	-	-	1	2	3
8	38860-96L00-000	RELAY ASSY, KLS	-	-	1	1	1	1	1
9	37173-96L10-000	HOLDER, KLS PARTS	-	-	1	1	1	1	1
10	32980-38F00-000	HOLDER, CDI UNIT	-	-	1	1	1	1	1
11	32851-93J00-000	CUSHION	-	-	1	1	1	1	1
-	09407-14407-000	CLAMP, KLS HARNESS	-	-	1	1	1	1	1
-	37117-96L00-000	DECAL, KLS	-	2	-	-	-	-	-

■ 37170-96L03 (433.92MHz) or 37170-96L13 (315MHz)

SUZUKI KEYLESS START SYSTEM for MECHANICAL REMOTE CONTROL SYSTEM



SUZUKI KEYLESS START SYSTEM for MECHANICAL REMOTE CONTROL SYSTEM				KIT		Total Required Quantity	
				CONTROLLER SET	HARNESS SET		
				37170-96L03	37105-96L10		
	PART NUMBER	PART NAME	LENGTH	37170-96L13		SINGLE	DUAL
1	37100-96L10-000	MAIN SWITCH PANEL	-	-	-	1	-
	37100-96L20-000		-			-	1
2	38500-93J90-000	BUZZER	-	-	1	1	1
3	37171-96L02-000	KEYLESS CONTROL UNIT	-	1	-	1	1
	37171-96L12-000		-				
4	37172-96L00-000	KEYLESS FOB	-	2	-	2	2
	37172-96L10-000		-				
5	36623-96L10-000	KEYLESS CONTROL HARNESS	-	-	1	1	1
6	36662-96L10-000	KEYLESS CAN HARNESS	6.5	-	1	1	1
7	36664-96L00-000	CAN EXTENSION HARNESS	0.8	-	-	-	1
8	38860-96L00-000	RELAY ASSY, KLS	-	-	1	1	1
9	37173-96L10-000	HOLDER, KLS PARTS	-	-	1	1	1
12	36621-96L00-000	HARNESS ASSY, DUAL KLS ENG	-	-	-	-	1
13	36663-96L10-000	WIRE COMP, KLS CAN EXT	2.0	-	-	-	1
10	32980-38F00-000	HOLDER, CDI UNIT	-	-	1	1	1
11	32851-93J00-000	CUSHION	-	-	1	1	1
-	37117-96L00-000	DECAL, KLS	-	2	-	-	-

■ 37170-96L03 (433.92MHz) or 37170-96L13 (315MHz)

ANALOG INSTRUMENT

Caution lamp	Caution type	Caution lamp	Caution type
CHECK ENGINE	Low battery-voltage or Other cautions on S.D.S	OIL	Low oil-pressure (Over-revolution)
TEMP	Overheat (Over-revolution)		Oil change reminder
		REV LIMIT	Over-revolution

TACHOMETER



White



Black



White



Black



White



Black

34200-93J12-000 (White)

34200-93J00-000 (Black)

Gauge Size	4"
Applicable Model	DF25A-250

Caution system alert with a monitor lamp lighting on when an abnormal engine condition occurs. Refer to SERVICE MANUAL for the detail.

34200-93J51-000 (White)

34200-93J40-000 (Black)

Gauge Size	4"
Applicable Model	DF40A-140A/200A

Exclusive for SUZUKI Troll Mode System. Automatically switches to low RPM scale when the SUZUKI Troll Mode System is activated.

34200-93J32-000 (White)

34200-93J20-000 (Black)

Gauge Size	4"
Applicable Model	DF8A-30A, DT30/40W

Full-scale 7000-RPM TACHOMETER can be used on electric-start models by using 4, 6 or 12 pole switch on rear of meter.

SPEEDOMETER



White



Black

(White)
34100-93J11-000

(Black)
34100-93J00-000

Gauge Size	4"
Maximum Speed	130km/h, 80mph
Bourdon-tube type speedometer with readings in km/h and mph. Includes vinyl tube, hardware and installation manual.	



White



Black

(White)
34100-93J31-000

(Black)
34100-93J20-000

Gauge Size	4"
Maximum Speed	80km/h, 50mph
Bourdon-tube type speedometer with readings in km/h and mph. Includes vinyl tube, hardware and installation manual.	



White



Black

(White)
34100-93J51-000

(Black)
34100-93J40-000

Gauge Size	4"
Maximum Speed	80km/h, 45knots
Bourdon-tube type speedometer with readings in km/h and knots. Includes vinyl tube, hardware and installation manual.	



34100-93J60-000

Gauge Size	4"
Background	White
Maximum Speed	120km/h, 65knots
Bourdon-tube type speedometer with readings in km/h and knots. Includes vinyl tube, hardware and installation manual.	

TRIM GAUGE



White



Black

34800-93J11-000 (White)

34800-93J00-000 (Black)

Gauge Size	2"
Applicable Model	DF25A-250

Magnetic-type gauge shows trim angle for optimum performance and efficiency.

FUEL GAUGE



White



Black

34300-93J11-000 (White)

34300-93J01-000 (Black)

Gauge Size	2"
Applicable Model	DF8A-250, DT30/40

FUEL GAUGE alone works with the US Standard 2500 sending unit. Use the 1500 adaptor to connect the gauge to a European standard sending unit.

OUR METER



White



Black

34500-93J11-000 (White)

34500-93J00-000 (Black)

Gauge Size	2"
Applicable Model	DF8A-250, DT30/40

12-Volt-electric-motor driven meter indicates hours that your SUZUKI OUTBOARD MOTOR has been operated in order for you to know when each periodic service is required.

VOLTMETER



White



Black

34600-93J11-000 (White)

34600-93J00-000 (Black)

Gauge Size	2"
Applicable Model	DF8A-250, DT30/40

To help your SUZUKI OUTBOARD MOTOR run at its best, monitor the charging system functioning with a VOLTMETER.

WATER-PRESSURE GAUGE



White



Black

34650-93J31-000 (White)

34650-93J20-000 (Black)

Gauge Size	2"
Applicable Model	DF40A-250

Bourdon-tube type gauge measures cooling-water pressure. Select an appropriate INSTALLATION KIT for each model.

SPEEDOMETER SENDER ASSY



34190-95500-000



34190-87D00-000

INSTALLATION KIT for WATER-PRESSURE GAUGE



34660-90J02-000

Applicable Model DF40A-140A

34660-93J00-000



Applicable Model DF200-250

KIT includes fittings and hoses needed for motor to gauge connection.

34660-96J00-000

Applicable Model DF150-175/200A

REMOTE-CONTROL KIT for SINGLE ENGINE



REMOTE-CONTROL KIT for SINGLE ENGINE				KIT				Total Required Quantity	
	PART NUMBER	PART NAME	LENGTH	1st Station		2nd Station		SINGLE STATION	DUAL STATION
				67000-98JE0-000	67000-98JE9-000	67000-98JF0-000	67000-98JL0-000		
1	67200-98J03-000	BINNACLE MOUNT R/C BOX		1	-	1	-	1	2
	67200-98J22-000	FLUSH MOUNT R/C BOX		-	1	-	1		
2	37100-98J11-000	CONTROL PANEL		1	1	1	1	1	2
3	37100-98J04-000	MAIN SWITCH PANEL		1	1	-	-	1	1
4	37860-87L00-000	TROLL MODE SWITCH PANEL		1	1	1	1	1	2
5	38500-93J90-000	WARNING BUZZER		1	1	1	1	1	2
	09407-08401-000	WARNING BUZZER CLAMP		1	1	1	1	1	2
	36770-98J11-000	BOAT CONTROL MODULE		1	1	1	1	1	2
	36775-98J00-000	BCM HOLDER (L)		1	1	1	1	1	2
	36776-98J00-000	BCM HOLDER (R)		1	1	1	1	1	2
	33911-88B00-000	BCM-CONNECT CAP		1	1	1	1	1	2
	33925-93J00-000	BCM CUSHION		1	1	1	1	1	2
7	33926-98J00-000	TERMINAL RESISTOR		2	2	-	-	2	2
8	36625-98J10-000	BATTERY-LEAD		1	1	-	-	1	1
9	36623-98J20-000	BCM #1 WIRING HARNESS		1	1	-	-	1	1
10	36622-98J00-000	DUAL-STATION WIRING HARNESS		-	-	1	1	-	1
11	36624-98J02-000	BCM #2 WIRING HARNESS		-	-	1	1	-	1
12	38500-93J90-000	EMERGENCY SWITCH PANEL		-	-	1	1	-	1
-	09403-13402-000	HARNESS CLAMP		10	10	10	10	-	-
	36620-98J30-000	MAIN WIRING HARNESS	6.5m	-	-	-	-	1	2
*13	36620-98J40-000	MAIN WIRING HARNESS EXTENSION	9.5m	-	-	-	-	-	-
	36620-98J50-000	MAIN WIRING HARNESS EXTENSION	2.0m	-	-	-	-	-	-

*13 is not included in these kits.
Please purchase these items separately.

Basic Component

1

R/C BOX
BINNACLE MOUNT R/C BOX

FLUSH MOUNT R/C BOX

2

CONTROL PANEL

3

MAIN SWITCH PANEL

(for KEYLESS START SYSTEM)

4

TROLL MODE SWITCH PANEL

5

BUZZER

6

BOAT CONTROL MODULE

BCM HOLDER (L)
BCM HOLDER (R)

BCM CONNECT CAP

BCM CUSHION

7

TERMINAL RESISTOR

8

BATTERY-LEAD

9

BCM #1 WIRING HARNESS

10

DUAL-STATION WIRING HARNESS

11

BCM #2 WIRING HARNESS

12


EMERGENCY SWITCH PANEL

13

MAIN WIRING HARNESS

MAIN WIRING HARNESS EXTENSION

REMOTE-CONTROL KIT for DUAL ENGINE



Installation Parts Different from SINGLE ENGINE

- 1

R/C BOX
BINNACLE MOUNT R/C BOX
- 2

CONTROL PANEL
- 12


EMERGENCY SWITCH
PANEL
- ENGINE WIRING
HARNESS



REMOTE-CONTROL KIT for DUAL ENGINE				KIT		Total Required Quantity	
	PART NUMBER	PART NAME	LENGTH	1st Station	2nd Station	SINGLE STATION	DUAL STATION
				67000-98JG0-000	67000-98JH0-000		
				BINNACLE-MOUNT CONTROL KIT	2ND-STATION BINNACLE-MOUNT CONTROL KIT		
1	67200-98J13-000	BINNACLE MOUNT R/C BOX		1	1	1	2
2	37100-98J21-000	CONTROL PANEL		1	1	1	2
3	37100-98J04-000	MAIN SWITCH PANEL		1	-	1	1
4	37860-87L00-000	TROLL MODE SWITCH PANEL		1	1	1	2
5	38500-93J90-000	WARNING BUZZER		1	1	1	2
	09407-08401-000	WARNING BUZZER CLAMP		1	1	1	2
6	36770-98J11-000	BOAT CONTROL MODULE		1	1	1	2
	36775-98J00-000	BCM HOLDER (L)		1	1	1	2
	36776-98J00-000	BCM HOLDER (R)		1	1	1	2
	33911-88BL0-000	BCM-CONNECT CAP		1	1	1	2
	33925-93J00-000	BCM CUSHION		1	1	1	2
7	33926-98J00-000	TERMINAL RESISTOR		2	-	2	2
8	36625-98J10-000	BATTERY-LEAD		1	-	1	1
9	36623-98J30-000	BCM #1 WIRING HARNESS		1	-	1	1
10	36622-98J00-000	DUAL-STATION WIRING HARNESS		-	1	-	1
11	36624-98J11-000	BCM #2 WIRING HARNESS		-	1	-	1
12	37803-93J04-000	EMERGENCY SWITCH PANEL		-	1	-	1
-	36621-98J00-000	ENGINE WIRING HARNESS		1	-	1	1
-	09403-13402-000	HARNESS CLAMP		15	10	-	-
*13	36620-98J30-000	MAIN WIRING HARNESS	6.5m	-	-	1	2
	36620-98J40-000		9.5m	-	-		
	36620-98J50-000	MAIN WIRING HARNESS EXTENSION	2.0m	-	-	-	

*13 is not included in these kits.
Please purchase these items separately.

REMOTE-CONTROL KIT for TRIPLE ENGINE



Installation Parts Different from SINGLE ENGINE

- 1

R/C BOX
BINNACLE MOUNT R/C BOX
- 2

CONTROL PANEL
- 12


EMERGENCY SWITCH
PANEL
- ENGINE WIRING
HARNESS



REMOTE-CONTROL KIT for TRIPLE ENGINE				KIT		Total Required Quantity	
	PART NUMBER	PART NAME	LENGTH	1st Station	2nd Station	SINGLE STATION	DUAL STATION
				67000-98JG0-000	67000-98JK0-000		
				BINNACLE-MOUNT CONTROL KIT	2ND-STATION BINNACLE-MOUNT CONTROL KIT		
1	67200-98J13-000	BINNACLE MOUNT R/C BOX		1	1	1	2
2	37100-98J31-000	CONTROL PANEL		1	1	1	2
3	37100-98J04-000	MAIN SWITCH PANEL		1	-	1	1
4	37860-87L00-000	TROLL MODE SWITCH PANEL		1	1	1	2
5	38500-93J90-000	WARNING BUZZER		1	1	1	2
	09407-08401-000	WARNING BUZZER CLAMP		1	1	1	2
6	36770-98J11-000	BOAT CONTROL MODULE		1	1	1	2
	36775-98J00-000	BCM HOLDER (L)		1	1	1	2
	36776-98J00-000	BCM HOLDER (R)		1	1	1	2
	33911-88BL0-000	BCM-CONNECT CAP		1	1	1	2
	33925-93J00-000	BCM CUSHION		1	1	1	2
7	33926-98J00-000	TERMINAL RESISTOR		2	-	1	2
8	36625-98J10-000	BATTERY-LEAD		1	1	2	2
9	36623-98J30-000	BCM #1 WIRING HARNESS		1	-	1	1
10	36622-98J00-000	DUAL-STATION WIRING HARNESS		-	1	1	1
11	36624-98J11-000	BCM #2 WIRING HARNESS		-	1	-	1
12	37803-93J04-000	EMERGENCY SWITCH PANEL		-	1	-	1
-	36621-98J00-000	ENGINE WIRING HARNESS		1	-	-	1
-	09403-13402-000	HARNESS CLAMP		18	10	-	-
*13	36620-98J30-000	MAIN WIRING HARNESS	6.5m	-	-	1	2
	36620-98J40-000		9.5m	-	-		
	36620-98J50-000	MAIN WIRING HARNESS EXTENSION	2.0m	-	-	-	

*13 is not included in these kits.
Please purchase these items separately.

REMOTE-CONTROL KIT for QUADRUPL ENGINE



Installation Parts Different from SINGLE ENGINE

1 R/C BOX
BINNACLE MOUNT R/C BOX

2 CONTROL PANEL

12 EMERGENCY SWITCH
PANEL

ENGINE WIRING
HARNESS

REMOTE-CONTROL KIT for QUADRUPL ENGINE				KIT		Total Required Quantity	
	PART NUMBER	PART NAME	LENGTH	1st Station	2nd Station	SINGLE STATION	DUAL STATION
				67000-98J71-000	67000-98J81-000		
1	67200-98J13-000	BINNACLE MOUNT R/C BOX		1	1	1	2
2	37100-98J21-000	CONTROL PANEL		2	2	2	4
3	37100-98J04-000	MAIN SWITCH PANEL		1	-	1	1
4	37860-87L00-000	TROLL MODE SWITCH PANEL		1	1	1	2
5	38500-93J90-000	WARNING BUZZER		2	2	2	4
	09407-08401-000	WARNING BUZZER CLAMP		2	2	2	4
6	36770-98J11-000	BOAT CONTROL MODULE		2	2	2	4
	36775-98J00-000	BCM HOLDER (L)		2	2	2	4
	36776-98J00-000	BCM HOLDER (R)		2	2	2	4
	33911-88B10-000	BCM-CONNECT CAP		2	2	2	4
	33925-93J00-000	BCM CUSHION		2	2	2	4
7	33926-98J00-000	TERMINAL RESISTOR		4	-	4	4
8	36625-98J10-000	BATTERY-LEAD		2	-	2	2
9	36623-98J30-000	BCM #1 WIRING HARNESS		1	-	1	1
10	36622-98J00-000	DUAL-STATION WIRING HARNESS		-	2	-	2
11	36624-98J11-000	BCM #2 WIRING HARNESS		-	1	-	1
12	37803-93J04-000	EMERGENCY SWITCH PANEL		-	1	-	1
-	36621-98J00-000	ENGINE WIRING HARNESS		2	-	2	2
-	09403-13402-000	HARNESS CLAMP		20	15	-	-
*13	36620-98J30-000	MAIN WIRING HARNESS	6.5m	-	-	2	4
	36620-98J40-000	MAIN WIRING HARNESS	9.5m	-	-	-	-
	36620-98J50-000	MAIN WIRING HARNESS EXTENSION	2.0m	-	-	-	-

*13 is not included in these kits.
Please purchase these items separately.

EXTRA OPTIONS AND INFORMATION


SUZUKI Precision Control and Lean Burn

LEAN BURN

Fuel efficiency matters whether you're boating for pleasure or profit. Our Lean Burn Fuel Control Technology combined with Suzuki Precision Control, delivers the optimum fuel/air mixture to the engine. The system is designed to save fuel both at low speeds and up into the cruising range.



COMPARISON OF FUEL ECONOMY



Data used in the graph was obtained through in-house testing under uniformed conditions. Results will vary depending upon operating conditions (boat design, size, weight, weather, etc.)

COUNTER SELECT CONNECTOR




36612-98J20-000

Applicable Model DF200AP/250AP/300AP
Converts DF300AP/250AP to counter rotation specification.

Suzuki Selective Rotation

In multi-outboard installations on large boats, a counter-rotation outboard is usually paired with a regular rotation model to help keep the boat traveling on an even keel and in a straight line. AP Models are built with special counter rotating gearing in the lower unit, which causes the prop to rotate in the opposite direction. Suzuki Selective Rotation eliminates the need to purchase a dedicated counter-rotation outboard by using a special switch that when connected to a circuit inside of the engine compartment, turns a regular rotation outboard into a counter-rotation model with a counter rotational propeller.* This industry first is made possible through a special, unified design of gears, shaft, and bearings in the lower unit that are designed to operate reliably and efficiently in either regular or counter-rotation directions.

* Make sure you consult with your dealer before changing Regular Rotation to Counter Rotation (or vice versa).



TROLL MODE SWITCH PANEL



37860-87L00-000

Applicable Model DF40A-140A/200A/AP/250AP/ 300AP

Activates SUZUKI Troll Mode System and controls RPM from idling engine speed up to 1200rpm at every 50rpm.

SUZUKI TROLL MODE SYSTEM

An optional extra on Remote Control models from over DF40A, this easy-to-use system lets you adjust engine speed in 50rpm increments, giving highly precise control at low revs. With its own tachometer and control switch, it works alongside our multi-function gauges and analogue gauges. (Suzuki Troll Mode System is originally equipped with Tiller Handle models from over DF40A.)

*Not Applicable for DF150,175,200,225,250



REMOTE-CONTROL KIT for KEYLESS START SYSTEM

REMOTE-CONTROL KIT for SINGLE ENGINE				KIT		Total Required Quantity
				Single Station		
				67000-98J91-000	67000-98JC1-000	SINGLE STATION
	PART NUMBER	PART NAME	LENGTH	BINNACLE-MOUNT CONTROL KIT	FLUSH-MOUNT CONTROL KIT	
1	67200-98J03-000	BINNACLE MOUNT R/C BOX		1	-	1
	67200-98J22-000	FLUSH MOUNT R/C BOX		-	1	1
2	37100-98J11-000	CONTROL PANEL		1	1	1
3	37100-96L00-000	MAIN SWITCH PANEL		1	1	1
4	37860-87L00-000	TROLL MODE SWITCH PANEL		1	1	1
5	38500-93J90-000	WARNING BUZZER		1	1	1
	09407-08401-000	WARNING BUZZER CLAMP		1	1	1
6	36770-98J11-000	BOAT CONTROL MODULE		1	1	1
	36775-98J00-000	BCM HOLDER (L)		1	1	1
	36776-98J00-000	BCM HOLDER (R)		1	1	1
	33911-88BL0-000	BCM-CONNECT CAP		1	1	1
	33925-93J00-000	BCM CUSHION		1	1	1
7	33926-98J00-000	TERMINAL RESISTOR		2	2	2
8	36625-98J10-000	BATTERY-LEAD		1	1	1
9	36623-98J20-000	BCM #1 WIRING HARNESS		1	1	1
-	09403-13402-000	HARNESS CLAMP		10	10	-
*13	36620-98J30-000	MAIN WIRING HARNESS	6.5m	-	-	1
	9.5m		-	-		
		36620-98J50-000	MAIN WIRING HARNESS EXTENSION	2.0m	-	-

*13 is not included in these kits.
Please purchase these items separately.

REMOTE-CONTROL KIT for TRIPLE ENGINE				KIT	Total Required Quantity
				1st Station	
				67000-98JB1-000	SINGLE STATION
PART NUMBER	PART NAME	LENGTH	BINNACLE-MOUNT CONTROL KIT		
1	67200-98J13-000	BINNACLE MOUNT R/C BOX		1	1
2	37100-98J31-000	CONTROL PANEL		1	1
3	37100-96L00-000	MAIN SWITCH PANEL		1	1
4	37860-87L00-000	TROLL MODE SWITCH PANEL		1	1
5	38500-93J90-000	WARNING BUZZER		1	1
	09407-08401-000	WARNING BUZZER CLAMP		1	1
6	36770-98J11-000	BOAT CONTROL MODULE		1	1
	36775-98J00-000	BCM HOLDER (L)		1	1
	36776-98J00-000	BCM HOLDER (R)		1	1
	33911-88BL0-000	BCM-CONNECT CAP		1	1
	33925-93J00-000	BCM CUSHION		1	1
7	33926-98J00-000	TERMINAL RESISTOR		2	1
8	36625-98J10-000	BATTERY-LEAD		1	2
9	36623-98J30-000	BCM #1 WIRING HARNESS		1	1
-	36621-98J00-000	ENGINE WIRING HARNESS		1	1
-	09403-13402-000	HARNESS CLAMP		18	-
*13	36620-98J30-000	MAIN WIRING HARNESS	6.5m	-	1
	36620-98J40-000	MAIN WIRING HARNESS EXTENSION	9.5m	-	
	36620-98J50-000	MAIN WIRING HARNESS EXTENSION	2.0m	-	
14	36664-96L00-000	HARNESS ASSY, KLS CAN		-	2

*13 is not included in these kits.
Please purchase these items separately.

REMOTE-CONTROL KIT for DUAL ENGINE				KIT	Total Required Quantity
				Single Station	
				67000-98JA1-000	SINGLE STATION
	PART NUMBER	PART NAME	LENGTH	BINNACLE-MOUNT CONTROL KIT	
1	67200-98J13-000	BINNACLE MOUNT R/C BOX		1	1
2	37100-98J21-000	CONTROL PANEL		1	1
3	37100-96L00-000	MAIN SWITCH PANEL		1	1
4	37860-87L00-000	TROLL MODE SWITCH PANEL		1	1
5	38500-93J90-000	WARNING BUZZER		1	1
	09407-08401-000	WARNING BUZZER CLAMP		1	1
6	36770-98J11-000	BOAT CONTROL MODULE		1	1
	36775-98J00-000	BCM HOLDER (L)		1	1
	36776-98J00-000	BCM HOLDER (R)		1	1
	33911-88BL0-000	BCM-CONNECT CAP		1	1
	33925-93J00-000	BCM CUSHION		1	1
7	33926-98J00-000	TERMINAL RESISTOR		2	2
8	36625-98J10-000	BATTERY-LEAD		1	1
9	36623-98J30-000	BCM #1 WIRING HARNESS		1	1
-	36621-98J00-000	ENGINE WIRING HARNESS		1	1
-	09403-13402-000	HARNESS CLAMP		15	-
*13	36620-98J30-000	MAIN WIRING HARNESS	6.5m	-	1
	36620-98J40-000	MAIN WIRING HARNESS EXTENSION	9.5m	-	
	36620-98J50-000		2.0m	-	
14	36664-96L00-000	HARNESS ASSY, KLS CAN		-	1

*13 is not included in these kits.
Please purchase these items separately.

REMOTE-CONTROL KIT for QUADRUPLE ENGINE				KIT	Total Required Quantity
				1st Station	
				67000-98JD0-000	
	PART NUMBER	PART NAME	LENGTH	BINNACLE-MOUNT CONTROL KIT	
1	67200-98J13-000	BINNACLE MOUNT R/C BOX		1	1
2	37100-98J21-000	CONTROL PANEL		2	2
3	37100-96L00-000	MAIN SWITCH PANEL		1	1
4	37860-87L00-000	TROLL MODE SWITCH PANEL		1	1
5	38500-93J90-000	WARNING BUZZER		2	2
	09407-08401-000	WARNING BUZZER CLAMP		2	2
6	36770-98J11-000	BOAT CONTROL MODULE		2	2
	36775-98J00-000	BCM HOLDER (L)		2	2
	36776-98J00-000	BCM HOLDER (R)		2	2
	33911-88BL0-000	BCM-CONNECT CAP		2	2
	33925-93J00-000	BCM CUSHION		2	2
7	33926-98J00-000	TERMINAL RESISTOR		4	4
8	36625-98J10-000	BATTERY-LEAD		2	2
9	36623-98J30-000	BCM #1 WIRING HARNESS		1	1
-	36621-98J00-000	ENGINE WIRING HARNESS		2	2
-	09403-13402-000	HARNESS CLAMP		20	-
*13	36620-98J30-000	MAIN WIRING HARNESS	6.5m	-	2
	9.5m		-		
	36620-98J50-000	MAIN WIRING HARNESS EXTENSION	2.0m	-	
14	36664-96L00-000	HARNESS ASSY, KLS CAN			3

*13 is not included in these kits.
Please purchase these items separately.

MAIN SWITCH PANEL



37100-98J04-000
single ignition with Emergency-stop switch

BOAT CONTROL PANEL



37100-98J11-000
for Single-Engine



37100-98J21-000
for Dual-Engine, Quadruple-Engine



37100-98J31-000
for Triple-Engine

MAIN WIRING HARNESS



36620-98J30-000
6.5 meters for control system

36620-98J40-000
9.5 meters for control system

MAIN-WIRING-HARNESS EXTENSION



36620-98J50-000
2.0 meters for control system

ENGINE WIRING HARNESS



36621-98J00-000
for Dual-Engine

36621-98J10-000
for Triple-Engine

DUAL-STATION WIRING HARNESS



36622-98J00-000
for Dual-station control system

BCM #1 WIRING HARNESS



36623-98J20-000
for Single-Engine and Single (First) station

36623-98J30-000
for Dual or Triple-Engine and Single (First) station

36623-98J40-000
for Quadruple-Engine

BCM #2 WIRING HARNESS



36624-98J02-000
for Single-Engine and Second station

36624-98J11-000
for Dual or Triple-Engine and Second station

36623-98J40-000
for Quadruple-Engine and Second station

BOAT CONTROL MODULE (BCM)



36770-98J11-000

36770-98J20-000
for Quadruple-Engine

BCM HOLDER (L/R)



36775-98J00-000 Holder (L)

36776-98J00-000 Holder (R)

BCM-CONNECT CAP



33911-88B10-000

BCM CUSHION



33925-93J00-000

BATTERY LEAD



36625-98J10-000
6.5 meters

TERMINAL RESISTOR



33926-98J00-000



RIGGING TUBE



990C0-20010-000
Applicable Model DF70A-DF300AP

MECHANICAL REMOTE CONTROL SYSTEM

REMOTE-CONTROL KIT for SINGLE ENGINE




Basic Kit Component




REMOTE-CONTROL KIT for SINGLE ENGINE				KIT					Required
	PART NUMBER	PART NAME	LENGTH	67000-88L00-000 BINNACLE-MOUNT CONTROL KIT	67000-88L20-000 BINNACLE-MOUNT CONTROL KIT	67000-93J27-000 FLUSH-MOUNT CONTROL KIT	67000-93J92-000 FLUSH-MOUNT CONTROL KIT	67000-93J82-000 SIDE-MOUNT CONTROL KIT	SINGLE STATION
1	67200-88L00-000	BINNACLE MOUNT R/C BOX		1	1	-	-	-	1
	67200-93J33-000	FLUSH MOUNT R/C BOX		-	-	1	1	-	
	67200-93J51-000	SIDE MOUNT R/C BOX		-	-	-	-	1	
2	37100-96J24-000	SINGLE IGNITION WITH E/S SWITCH		1	1	1	1	*A	1
3	36620-93J02-000	MAIN WIRING HARNESS	6.5m	-	1	-	1	1	1
	36620-93J52-000		5.0m	-	-	-	-	-	
	36620-93J62-000		8.0m	-	-	-	-	-	
(a)	34200-93J12-000	TACHOMETER (FACE : WHITE)		-	1	-	1	1	
(b)	34800-93J11-000	TRIM GAUGE (FACE : WHITE)		-	1	-	1	1	
4	67320-93J00-000	R/C CABLE (ORT THROTTLE AND SHIFT CABLES)	8ft. / 2.44m						2
	67320-93J10-000		10ft. / 3.05m						
	67320-93J20-000		12ft. / 3.66m						
	67320-93J30-000		14ft. / 4.27m						
	67320-93J40-000		16ft. / 4.88m						
	67320-93J50-000		18ft. / 5.49m						
	67320-93J60-000		20ft. / 6.10m						
	67320-93J70-000		22ft. / 6.71m						
	67320-93J80-000		24ft. / 7.32m						
-	36620-93J10-000	MAIN WIRING HARNESS EXTENSION	2m						
	36620-93J40-000		3m						

■ The high-lighted products are optional. Please make your best choice depending on your boat.
■ *A The side mount control box is equipped with ignition switch, emergency switch and warning buzzer with clamp.

REMOTE-CONTROL KIT for DUAL ENGINE



Basic Kit Component



REMOTE-CONTROL KIT for DUAL ENGINE				KIT		Required
	PART NUMBER	PART NAME	LENGTH	67000-88L10-000 BINNACLE-MOUNT CONTROL KIT	67000-88L30-000 BINNACLE-MOUNT CONTROL KIT	SINGLE STATION
1	67200-88L10-000	BINNACLE MOUNT R/C BOX		1	1	1
2	37100-96J14-000	DUAL IGNITION WITH E/S SWITCH		1	1	1
3	36620-93J02-000	MAIN WIRING HARNESS	6.5m	-	2	2
	36620-93J52-000		5.0m	-	-	
	36620-93J62-000		8.0m	-	-	
(a)	34200-93J12-000	TACHOMETER (FACE : WHITE)		-	2	
(b)	34800-93J11-000	TRIM GAUGE (FACE : WHITE)		-	2	
4	67320-93J00-000	R/C CABLE (ORT THROTTLE AND SHIFT CABLES)	8ft. / 2.44m			4
	67320-93J10-000		10ft. / 3.05m			
	67320-93J20-000		12ft. / 3.66m			
	67320-93J30-000		14ft. / 4.27m			
	67320-93J40-000		16ft. / 4.88m			
	67320-93J50-000		18ft. / 5.49m			
	67320-93J60-000		20ft. / 6.10m			
	67320-93J70-000		22ft. / 6.71m			
	67320-93J80-000		24ft. / 7.32m			
-	36620-93J10-000	MAIN WIRING HARNESS EXTENSION	2m			
	36620-93J40-000		3m			

■ The high-lighted products are optional. Please make your best choice depending on your boat.

Gauge Kit Component



REMOTE-CONTROL KIT for SINGLE ENGINE (KEYLESS START SYSTEM)

REMOTE-CONTROL KIT for SINGLE ENGINE				KIT					Required
	PART NUMBER	PART NAME	LENGTH	67000-88L40-000	67000-88L60-000	67000-93JF0-000	67000-93JK0-000	67000-93JJ0-000	SINGLE STATION
				BINNACLE-MOUNT CONTROL KIT	BINNACLE-MOUNT CONTROL KIT	FLUSH-MOUNT CONTROL KIT	FLUSH-MOUNT CONTROL KIT	SIDE-MOUNT CONTROL KIT	
1	67200-88L00-000	BINNACLE MOUNT R/C BOX		1	1	-	-	-	1
	67200-93J33-000	FLUSH MOUNT R/C BOX		-	-	1	1	-	
	67200-96L01-000	SIDE MOUNT R/C BOX		-	-	-	-	1	
2	37100-96L10-000	SINGLE IGNITION WITH E/S SWITCH		1	1	1	1	*A	1
3	36620-93J02-000	MAIN WIRING HARNESS	6.5m	-	1	-	1	1	1
	36620-93J52-000		5.0m	-	-	-	-	-	
	36620-93J62-000		8.0m	-	-	-	-	-	
(a)	34200-93J12-000	TACHOMETER (FACE : WHITE)		-	1	-	1	1	
(b)	34800-93J11-000	TRIM GAUGE (FACE : WHITE)		-	1	-	1	1	
4	67320-93J00-000	R/C CABLE (ORT THROTTLE AND SHIFT CABLES)	8ft. / 2.44m						2
	67320-93J10-000		10ft. / 3.05m						
	67320-93J20-000		12ft. / 3.66m						
	67320-93J30-000		14ft. / 4.27m						
	67320-93J40-000		16ft. / 4.88m						
	67320-93J50-000		18ft. / 5.49m						
	67320-93J60-000		20ft. / 6.10m						
	67320-93J70-000		22ft. / 6.71m						
	67320-93J80-000		24ft. / 7.32m						
	36620-93J10-000	MAIN WIRING HARNESS EXTENSION	2m						
	36620-93J40-000		3m						

■ The high-lighted products are optional. Please make your best choice depending on your boat.
■ *A The side mount control box is equipped with ignition switch, emergency switch and warning buzzer with clamp.



REMOTE-CONTROL KIT for DUAL ENGINE (KEYLESS START SYSTEM)

REMOTE-CONTROL KIT for DUAL ENGINE				KIT		Required
	PART NUMBER	PART NAME	LENGTH	67000-88L50-000	67000-88L70-000	SINGLE STATION
				BINNACLE-MOUNT CONTROL KIT	BINNACLE-MOUNT CONTROL KIT	
1	67200-88L10-000	BINNACLE MOUNT R/C BOX		1	1	1
2	37100-96L20-000	DUAL IGNITION WITH E/S SWITCH		1	1	1
3	36620-93J02-000	MAIN WIRING HARNESS	6.5m	-	2	2
	36620-93J52-000		5.0m	-	-	
	36620-93J62-000		8.0m	-	-	
(a)	34200-93J12-000	TACHOMETER (FACE : WHITE)		-	2	
(b)	34800-93J11-000	TRIM GAUGE (FACE : WHITE)		-	2	
4	67320-93J00-000	R/C CABLE (ORT THROTTLE AND SHIFT CABLES)	8ft. / 2.44m			4
	67320-93J10-000		10ft. / 3.05m			
	67320-93J20-000		12ft. / 3.66m			
	67320-93J30-000		14ft. / 4.27m			
	67320-93J40-000		16ft. / 4.88m			
	67320-93J50-000		18ft. / 5.49m			
	67320-93J60-000		20ft. / 6.10m			
	67320-93J70-000		22ft. / 6.71m			
	67320-93J80-000		24ft. / 7.32m			
	36620-93J10-000	MAIN WIRING HARNESS EXTENSION	2m			
	36620-93J40-000		3m			
	36621-96L00-000	HARNSS ASSY,DUAL KLS ENG		1	1	
	36663-96L10-000	WIRE COMP,KLS CAN EXT		1	1	
	36664-96L00-000	HARNSS ASSY,KLS CAN		1	1	

■ The high-lighted products are optional. Please make your best choice depending on your boat.



COMPONENT OF MECHANICAL REMOTE CONTROL SYSTEM

BINNACLE-MOUNT REMOTE CONTROL BOX



67200-88L00-000

for Single-Engine

Applicable Model DF8A-250



67200-88L10-000

for Dual-Engine

Applicable Model DF8A-250

FLUSH-MOUNT REMOTE CONTROL BOX



67200-93J33-000

for Single-Engine

Applicable Model DF8A-250

SIDE-MOUNT REMOTE CONTROL BOX



67200-91J20-000

for Single-Engine

Applicable Model DF4A-6A

SPACER KIT for REMOTE CONTROL BOX



67500-88L00-000

for Single Binnacle-mount type

Applicable Model DF8A-250



67500-88L10-000

for Dual Binnacle-mount type

Applicable Model DF8A-250

BATTERY LEAD



36625-93J10-000

6.7 meters

Applicable Model DF70-90A/150/175/200A/200-250

36625-93J00-000

3.9 meters

Applicable Model DF70-90A/150/175/200A/200-250

67200-94J20-000

for Single-Engine. With warning buzzer

Applicable Model DF8A-30A

67200-93J51-000

for Single-Engine. With PTT switch

Applicable Model DF9.9B-250

67200-89E40-000

for Single-Engine. With warning buzzer

Applicable Model DT30/40W

MAIN WIRING HARNESS



36620-93J02-000

6.5 meters for Control system

Applicable Model DF40A-250

36620-93J52-000

5.0 meters for Control system

Applicable Model DF40A-250

36620-94L00-000

6.5 meters for Control system

Applicable Model DF25A/30A

36620-93J62-000

8.0 meters for Control system

Applicable Model DF40A-250

36620-94J01-000

6.5 meters for Control system without

Monitor-signal wire,

Trim-sender wire and PTT-SW wire

Applicable Model DF8A/9.9B/15A/20A

36620-94L10-000

6.5 meters for Control system without

Trim-sender wire and PTT-SW wire

Applicable Model DF25A/30A

MAIN WIRING HARNESS EXTENSION

36620-93J10-000

2.0 meters for Control system

Applicable Model DF9.9B-250

36620-93J40-000

3.0 meters for Control system

Applicable Model DF9.9B-250

IGNITION SWITCH PANEL



37100-96J00-000

Single ignition

Applicable Model DF9.39B-250

37100-99E00-000

Single ignition

Applicable Model DT30



37100-96J24-000

Single ignition with

Emergency-stop switch

Applicable Model DF9.9B-250



37100-96J14-000

Dual ignition with

Emergency-stop switch

Applicable Model DF9.9B-250

EMERGENCY SWITCH PANEL



37803-93J04-000

Applicable Model DF9.39B-300AP

37803-99E04-000

Applicable Model DT30

LIGHTING SWITCH PANEL



37210-93J00-000

Applicable Model DF9.39B-250, DT30/40W

PTT SWITCH PANEL



37805-93J00-000

Applicable Model DF40A-250

WARNING BUZZER



38500-93J90-000

Applicable Model DF9.39B-300AP

REMOTE-CONTROL CABLE



67320-93J00-000

8 feet 2.44 meters

Applicable Model DF4A-250, DT30/40W

67320-93J10-000

10 feet 3.05 meters

Applicable Model DF4A-250, DT30/40W

67320-93J20-000

12 feet 3.66 meters

Applicable Model DF4A-250, DT30/40W

67320-93J30-000

14 feet 4.27 meters

Applicable Model DF4A-250, DT30/40W

67320-93J40-000

16 feet 4.88 meters

Applicable Model DF4A-250, DT30/40W

67320-93J50-000

18 feet 5.49 meters

Applicable Model DF4A-250, DT30/40W

67320-93J60-000

20 feet 6.10 meters

Applicable Model DF4A-250, DT30/40W

67320-93J70-000

22 feet 6.71 meters

Applicable Model DF4A-250, DT30/40W


67320-93J80-000

24 feet 7.32 meters

Applicable Model DF4A-250, DT30/40W

REMOTE-CONTROL ATTACHING KIT

Converts ME model to REMOTE-CONTROL model.



67130-94L00-000

Applicable Model DF25A/30A

67130-94L10-000

Applicable Model DF25ATH/30ATH

67130-89L04-000

Applicable Model DF9.9B/15A/20A

67130-99J01-000

CLAMP BRACKET SET (41100-99J00-0EP) is required

for installing 67130-99J00-000.

Applicable Model DF8A/9.9A

67130-91L00-YAY

Applicable Model DT25K/30

67130-94812-000

Applicable Model DT40W

TWIN REMOTE-CONTROL ATTACHMENT KIT



67140-95600-000

Applicable Model DF8A-250, DT30/40W

CLAMP BRACKET SET

41100-99JL0-YAY

Applicable Model DF8A/9.9A

RIGGING TUBE



990C0-20010-000

Applicable Model DF70A-DF300AP

*Connect to the hose adapter equipped on the engine



TROLL MODE SWITCH PANEL



37860-87L00-000

Applicable Model DF40A-140A/200A/AP/250AP/ 300AP

Activates SUZUKI Troll Mode System and controls RPM from idling engine speed up to 1200rpm at every 50rpm.

SUZUKI TROLL MODE SYSTEM

An optional extra on Remote Control models from over DF40A, this easy-to-use system lets you adjust engine speed in 50rpm increments, giving highly precise control at low revs. With its own tachometer and control switch, it works alongside our multi-function gauges and analogue gauges. (Suzuki Troll Mode System is originally equipped with Tiller Handle models from over DF40A.)

*Not Applicable for DF150,175,200,225,250



TILLER HANDLE KIT



63002-88L22-YAY

Applicable Model
DF40A/50A

63002-88L12-YAY

Applicable Model
DF60A/50AV/60AV

63002-87L13-YAY

Applicable Model
DF70A-90A

63002-90J33-YAY

Applicable Model
DF100A/115A

DUAL-ENGINE TIE-BAR



67600-90J00-000
Stainless steel
Applicable Model DF100A-140A

67600-93J00-000
Stainless steel
Applicable Model DF150-250

STEERING EXTENSION KIT



67630-93J00-000
for installation of DUAL-ENGINE TIE-BAR (67600-93J00-000)
Applicable Model DF150-250

DRAG-LINK KIT



67700-87L01-000
Applicable Model DF70A-90A

67700-93J00-000
Applicable Model DF40A-60A/200-250

67700-96J00-000
Applicable Model DF150-175/200A/AP

67701-87J11-000
Applicable Model DF40A-60A/200-250

67701-87L01-000
Applicable Model DF70A-90A

67701-90J01-000
Applicable Model DF100A-140A


67701-96J00-000
Applicable Model DF150-175/200A/AP

67701-94420-000
Applicable Model DT25K/30


67701-94L00-000
Applicable Model DF25A/30A

67701-99J02-000
Applicable Model DF8A-DF20A

Main features



Tachometer with warning indicators



Three-position angle adjustable bracket



Troll mode switch

- Activates SUZUKI Troll Mode System and controls RPM from idling engine speed up to 1200rpm at every 50rpm.



Power trim & tilt switch and throttle grip friction adjuster

STEERING-BRACKET ATTACHMENT



43755-87L00-000
Applicable Model DF70A/90A

43755-88L00-000
Applicable Model DF40A-60A

43755-94L00-000
Applicable Model DF25A-30A

43755-99J00-000
Applicable Model DF8A-20A

43755-96320-000
Applicable Model DT25K/30/40W


STEERING CABLE SEAL



41161-94400-000
Applicable Model DF8A-250, DT25K-40W

BATTERY CHARGING KIT

- Optional equipment for charging Battery
- Required for : DF4A/5A/6A, DF8A/9.9A, DF9.9B/15A/20A, DF25A/30A, DT9.9A/15A, DT25K, DT30, DT40W.



DF series


APPLICABLE MODEL	BATTERY CHARGING KIT
	└ RECTIFIER and REGULATOR SET └ RECEPTACLE KIT
DF4A/5A/6A	32000-97L00-000
	└ 32801-97L00-000
	└ 39600-97L00-000
DF8A/9.9A	32000-99J00-000
	└ 32801-95J01-000
	└ 39600-94J01-000
DF9.9B/15A/20A	32000-89L00-000
	└ 32801-89L00-000
	└ 39600-89L00-000
DF25A/30A	32000-94L00-000
	└ 32800-88L00-000
	└ 39600-94L00-000
	└ 32815-94L00-000 (BRACKET)
	└ 01550-06207-000 (BOLT)

DT series

APPLICABLE MODEL	BATTERY CHARGING KIT			
	RECTIFIER SET	RECEPTACLE SET	REGULATOR	QTY
DT9.9A/15A	32801-93903-000	39600-93910-000	32500-95722-000 REGULATOR ASSY, VOLTAGE	1
			32590-93900-000 STAY, VOLTAGE REGULATOR	1
			02162-06127-000 SCREW, VOLTAGE REGULATOR	2
			08310-00067-000 NUT, VOLTAGE REGULATOR	2
			08321-01067-000 WASHER, VOLTAGE REGULATOR LOCK	2
			08322-01067-000 WASHER, VOLTAGE REGULATOR	2
DT25K	32801-96304-000	39600-93910-000	32500-95722-000 REGULATOR ASSY, VOLTAGE	1
			02162-06127-000 SCREW, VOLTAGE REGULATOR	2
			08322-01067-000 WASHER, VOLTAGE REGULATOR	2
DT30	32801-96304-000	39600-93910-000	32500-95722-000 REGULATOR ASSY, VOLTAGE	1
			02162-06127-000 SCREW, VOLTAGE REGULATOR	2
			08322-01067-000 WASHER, VOLTAGE REGULATOR	2
DT40W	32801-94402-000	39600-93910-000	32500-95722-000 REGULATOR ASSY, VOLTAGE	1
			02162-06127-000 SCREW, VOLTAGE REGULATOR	2
			08321-01067-000 WASHER	2

ELECTRIC STARTER KIT

Optional materials for Converting Manual Starter model into Electric Starter model.
* Electric Starter Kit functions as Battery charging Kit as well.



DF series

APPLICABLE MODEL	ELECTRIC STARTER KIT
DF4A/5A/6A	—
DF8A/9.9A	31000-99J01-000
DF9.9B/15A/20A	31000-89L06-000
DF25A/30A	31000-94L02-000

DT series

APPLICABLE MODEL	ELECTRIC STARTER			REGULATOR		
			QTY			QTY
DT9.9A/15A	36740-93901-000	CASE ASSY, FUSE	1	32500-95722-000	REGULATOR ASSY, VOLTAGE	1
	32102-90L20-000	FLYWHEEL COMP, MAGNETO	1	32590-93900-000	STAY, VOLTAGE REGULATOR	1
	31101-93920-0ED	MOTOR SET, STARTING	1	02162-06127-000	SCREW, VOLTAGE REGULATOR	2
	32200-93910-000	SET, LIGHTING COIL	1	08310-00067-000	NUT, VOLTAGE REGULATOR	2
	32801-93903-000	RECTIFIER SET	1	08321-01067-000	WASHER, VOLTAGE REGULATOR LOCK	2
	33800-95L03-000	SET, STARTING CABLE & SWITCH	1	08322-01067-000	WASHER, VOLTAGE REGULATOR	2
DT30	31101-96320-0ED	MOTOR SET, STARTING	1	32500-95722-000	REGULATOR ASSY, VOLTAGE	1
	32102-96462-000	FLYWHEEL COMP, MAGNETO	1	02162-06127-000	SCREW, VOLTAGE REGULATOR	2
	32801-96304-000	RECTIFIER SET	1	08322-01067-000	WASHER, VOLTAGE REGULATOR	2
	33800-96304-000	SET, STARTING CABLE & SWITCH	1			
	33815-94501-000	PROTECTOR, STARTER CABLE	1			
	01550-06167-000	BOLT, CABLE PROTECTOR	1			
DT40W	36740-93901-000	CASE ASSY, FUSE	1	32500-95722-000	REGULATOR ASSY, VOLTAGE	1
	31101-94402-0ED	MOTOR SET, STARTING	1	02162-06127-000	SCREW, VOLTAGE REGULATOR	2
	32102-92L00-000	FLYWHEEL COMP, MAGNETO	1	08321-01067-000	WASHER	2
	32801-94402-000	RECTIFIER SET	1			
	33800-94433-000	SET, STARTING CABLE & SWITCH	1			

BATTERY CHARGING KIT



ELECTRIC STARTER KIT



BATTERY ISOLATOR LEAD SET

Optional equipment for charging additional battery.

33830-98J11-000

Applicable Model DF150T/Z/175T/Z/
200A/AP/250AP/
300AP

FUEL TANK

NOTE : These tanks do not meet US-EPA requirements.



65000-99100-000

12-liter plastic tank with no fuel-level gauge

Applicable Model DF4A/5A/6A, DT9.9AK/15AK/25K/40WK (-K:For Gasoline)

65000-95D01-000

25-liter plastic tank with a fuel-level gauge

Applicable Model DF8A-140A, DT9.9AK-40W/WR/WK (-K:For kerosene)

65000-89L10-000

12-liter plastic tank

Applicable Model DF8A-20A

REPLACEMENT FUEL CAP

NOTE : These caps do not meet US-EPA requirements.

65520-99100-000

for 12-liter tank with no fuel-level gauge

Applicable Model DF5A-20A/R,DT9.9AK/15AK/25K/40WK

65520-95D01-000

for 25-liter tank with a fuel-level gauge

Applicable Model DF8A-140A,DT9.9AK-40W/WR/WK

FUEL-HOSE SOCKET



65750-98505-000

Metal, Inner diameter: 11.2 mm

Applicable Model DF4A-20A/R, DT9.9/K-40W/WR/WK



65750-87J11-000

Plastic, Inner diameter: 6.6 mm

Applicable Model DF4A/8A-30A



65750-95500-000

Metal, Inner diameter: 13.0 mm

Applicable Model DF8A/R-140A, DT9.9AK-40W/WR/WK

FUEL CONNECTOR (ENGINE SIDE)



65720-986B0-000

Plastic,

Applicable Model DF4A

FUEL CONNECTOR (TANK SIDE)



65740-95D01-000

Outer diameter: 13 mm, 1/4"NPT

Applicable Model DF8A/R-140A, DT9.9/K-40W/WR/WK

SQUEEZE PUMP



65770-99J01-000

Small-in & Large-out

Applicable Model DF4A-6A, DT9.9AK/15AK/25K/40WK

65770-90J11-000

Large-in & Large-out

Applicable Model DF8A-140A, DT9.9AK/15AK/25K/40WK

65770-93J11-000

Large-in & Large-out

Applicable Model DF150-300AP

65770-90L01-000

Large-in & Small-out

Applicable Model DT9.9A/15A/30/40W

SQUEEZE PUMP

(Meets US-EPA requirements.)

65770-94J02-000

Small-in & Large-out

Applicable Model DF4A/6A

65770-90J02-000

Large-in & Large-out

Applicable Model DF8A-25A/30A

65770-93J02-000

Large-in & Large-out

Applicable Model DF150-300AP

FUEL-HOSE COMPONENT



65700-94JD1-000

for 12-liter plastic tank to engine

Applicable Model DF4A-6A

65700-93J02-000

for fuel tank to engine

Applicable Model DF150-300AP

65700-87J15-000

for 25-liter plastic tank to engine

Applicable Model DF8A-20A

65700-90J14-000

for 25-liter plastic tank to engine

Applicable Model DF40A-140A

65700-95D04-000

for 12-liter plastic tank to engine (gasoline)

Applicable Model DT9.9AK/15AK/25K/40WK

65700-96362-000

for 25-liter plastic tank to engine (kerosene)

Applicable Model DT9.9AK/15AK/25K/40WK

65700-94416-000

with fuel filter (gasoline)

Applicable Model DT9.9AK/15AK/25K/40WK

65700-94433-000

with fuel filter (kerosene)

Applicable Model DT9.9AK/15AK

Only for P36 ver.

FUEL-HOSE COMPONENT

(Meets US-EPA requirements.)

65700-91J25-000


Applicable Model DF4A/6A

65700-87J25-000

Applicable Model DF8A-30A

65700-88L03-000

Applicable Model DF40A-60A



FUEL-HOSE COMPONENT Chart

1	FUEL-HOSE COMPONENT	2	FUEL-HOSE SOCKET Metal	Plastic	3	SQUEEZE PUMP	4	FUEL-HOSE SOCKET Metal
---	---------------------	---	---------------------------	---------	---	--------------	---	---------------------------



1		2			-				3	-				4		
FUEL HOSE COMPONENT		SOCKET			HOSE				SQUEEZE PUMP	HOSE				SOCKET		
Part Number	A Length (mm)	Material	B I/D (mm)	Part Number	C Length (mm)		I/D (mm)	O/D (mm)		D Length (mm)		I/D (mm)	O/D (mm)	Material	E I/D (mm)	Part Number
65700-94JD1-000	1970	Plastic	6.6	65750-87J11-000	700	Large	7.3	12.5	65770-99J01-000	1100	Small	5.3	10.5	Metal	11.2	65750-98505-000
65700-93J02-000	2370	(no socket)	-	-	(no hose)	-	-	-	65770-93J11-000	2250	Large	9.0	14.0	(no socket)	-	-
65700-87J15-000	1970	Plastic	6.6	65750-87J11-000	700		7.3	12.5	65770-90J11-000	1100		7.3	12.5	Metal	13.0	65750-95500-000
65700-90J14-000	1250	(no socket)	-	-	(no hose)	-	-	-	65770-90J11-000	1100		7.3	12.5	Metal	13.0	65750-95500-000
65700-95D04-000	2550	Metal	13.0	65750-95500-000	300		7.3	12.5	65770-99J01-000	2090		5.3	10.5	Metal	11.2	65750-98505-000
65700-96362-000	2620	Metal	11.2	65750-98505-000	300		5.3	10.5	-	2250		7.3	12.5	Metal	13.0	65750-95500-000
65700-94416-000	3100	Metal	13.0	65750-95500-000	300		7.3	12.5	65770-90J11-000	2600		7.3	12.5	-	-	-
65700-94433-000	3100	Plastic	13.8	65750-94404-000	3000		7.3	12.5	-	-		-	-	-	-	-

65700-91J25-000	2000	Plastic	6.6	65750-87J11-000	700		7.3	12.5	65770-94J02-000	1100		5.3	10.5	Metal	11.2	65750-98505-000
65700-87J25-000	2000	Plastic	6.6	65750-87J11-000	700		7.3	12.5	65770-90J02-000	1100		7.3	12.5	Metal	13.0	65750-95500-000
65700-88L03-000	1280	(no socket)	-	-	(no hose)	-	-	-	65770-90J02-000	1100		7.3	12.5	Metal	13.0	65750-95500-000

WATER SEPARATOR / FUEL FILTER



65900-98J00-000

Applicable Model DF5A/DF8A-300AP, DT9.9A-40W/WR/WK



65910-98J00-000

Applicable Model DF5A/DF8A-300AP, DT9.9A-40W/WR/WK

What is PROPELLER

Propeller selection is very important in the performance of your boat. Acceleration, speed, fuel efficiency, stability and engine RPM all are affected by the propeller selected. Operating requirements and conditions will also affect which design, style and pitch of propeller you may choose to meet your individual needs. The combination of boat, engine and appropriate propeller size may have already been tested by the boat manufacturer. **Your Customer may need your assist with the process to determine the correct propeller for their application.**

Stainless Steel Propellers



Suzuki Stainless Steel Propellers offer higher performance and greater durability than aluminum propellers. The aggressive design of these propellers enhances the overall performance of your boat and the durability of the stainless steel construction will give you long term dependability. Your Suzuki Stainless Steel propeller is also fitted with a rubber cushion hub to help absorb vibration and shock should you strike a foreign object.

Propeller Sizing

When referring to propeller size, such as 3 x 13 x 18, the first number is the number of blade, the second number details the diameter of the propeller and the third number is the pitch of the propeller. The pitch is the most significant number in the description. The diameter is usually predetermined by the propeller engineers and is based on the size and series of the engine.

Diameter

Diameter is considered to be the distance across an imaginary circle that is made when a propeller is rotated. Diameter is determined during the engineering process of designing a propeller and is usually based on requirements to meet the needs of engine size, gear case design, horsepower and speed.



Pitch

Pitch is used to describe the theoretical distance that a propeller “cork screws” through the water in inches of forward travel. In theory, an 18” pitch propeller would move ahead 18” with each complete revolution of a propeller. There is always some percentage of inefficiency as water conditions, boat weight and propeller style are introduced into the performance equation. The lower the “slip factor,” the more efficiently the propeller will perform and the faster the speed at a given engine RPM. Lower pitches accelerate faster, but have a lower top end speed. Higher pitches have a slower acceleration, but may attain higher top speeds. An inch of pitch generally is equal to 150-200 engine RPM at wide open throttle (WOT). If pitch is increased by an inch, RPM will decrease by 150-200 RPM at WOT. If pitch is decreased by an inch, RPM will increase by 150-200 RPM at WOT. Always operate your boat/engine combination within the recommended RPM range guidelines as stated in your operator’s manual. Operating outside the recommended range can cause severe damage to your engine and may void the engine warranty.



Propeller Cup

Cup is used to reduce the slip and ventilation of the propeller. This will allow you to operate your engine at a higher transom mounting and allow you to use more trim for bow lift. The cup refers to the area along the trailing edge of the propeller blade that has an increased pitch in the last 1/2” of the blade surface and extends to the blade tip.

Rake

Rake is described as the angle, in degrees, that the propeller blades are mounted to the “barrel” of the propeller. The blades of a zero degree rake propeller are mounted perpendicular to the “barrel” of the propeller. The blades of a higher rake propeller angle more to the rear of the propeller. A propeller with a high rake design will hold the water on the blades longer during operation and will ventilate less at higher engine heights. High rake propellers will produce higher thrust that will help lift the bow of the boat more effectively.

HARDWARE FOR PROPELLER

Applicable Model	STOPPER	PROPELLER BUSH		HARDWARE KIT				
					SPACER	WASHER	NUT	COTTER PIN
DF2.5	57635-91JL0-000	58120-97JA0-000	Press-IN	N/A	-	-	58130-91JL0-000	09204-03003-000
DF4A/5A/6A	57635-97L00-000	58120-91JL0-000	Press-IN	N/A	-	-	58130-91JL0-000	09204-03003-000
DF8A/9.9A	57632-94J00-000	58120-89L00-000	Press-IN	N/A	-	09160-12066-000	09141-12005-000	09204-02004-000
DF9.9B/15A/20A	57632-94J00-000	58120-89L00-000	Press-IN	N/A	-	09160-12066-000	09141-12005-000	09204-02004-000
DT9.9A/15A	57632-94J00-000	58120-89L00-000	Press-IN	N/A	-	09160-12066-000	09141-12005-000	09204-02004-000
DF25A/30A	57632-91L00-000	58120-91L00-000	Press-IN	57630-96300-000	57633-91L00-000	09160-14028-000	09141-14008-000	09204-03003-000
DT25/30	57632-91L00-000	58120-91L00-000	Press-IN	57630-96300-000	57633-91L00-000	09160-14028-000	09141-14008-000	09204-03003-000
DF40A/50A/60A	57632-95320-000	58120-88L01-000	Press-IN	57630-94301-000	57633-94301-000	09160-18028-000	09141-18005-000	09204-03003-000
DT40	57632-92L00-000	58120-88L01-000	Press-IN	57630-92L01-000	57633-92L00-000	09160-16054-000	09141-16008-000	09204-03003-000
DF50AV/60AV	57635-90J01-000	58105-90J00-000	Press-IN	57630-90J00-000	57633-90J02-000	09160-18028-000	09141-18005-000	09204-03003-000
DF70A/80A/90A	57632-87L01-000	58105-90J00-000	Press-IN	57630-90J00-000	57633-90J02-000	09160-18028-000	09141-18005-000	09204-03003-000
DF100A/115A/140A	57635-92J01-000	58105-90J00-000	Press-IN	57630-90J00-000	57633-90J02-000	09160-18028-000	09141-18005-000	09204-03003-000
DF150-300AP	57632-93L01-000	58105-93J10-000	Press-IN	57630-92E00-000	57633-87D30-000	09160-18028-000	09141-18005-000	09204-03003-000

*1 58105-90J00 is for **58100-87Lxx, 58100-90Jxx, 58200-92J4x-92J9x and 58200-92JAx-92JDx.**
*2 58120-90J00 is for **58200-90J0x-90J3x and 58200-92J0x-92J3x.** *3 58105-93J00 is for **58200-96Jxx.**
*4 58105-93J10 is for **58200-93Jxx, 58200-93Lxx and 58300-93Jxx.**
These bold letters indicate a proper part number in P34 & 35. Please refer to next pages.

*RR:Regular-Rotation model, CR:Counter-Rotation model

CARE & MAINTENANCE ITEM

SUZUKI APPROVED GENUINE OIL

- Specialty designed oil for SUZUKI 2&4 stroke outboard motor.
- High quality 2stroke motor oil provide proper viscosity to be stability when temperature change and keep excellent oxidation.
- This 4 stroke outboard oil is formulated with special additives and high quality base oil.
- Outstanding performance for wear protection, viscosity stability, low volatility and excellent rust protection and corrosion.

* Availability may differ in some regions.
Please contact Thai Suzuki Motor Co, Ltd. for more information and making an order.



2-STROKE ENGINE OIL
“PREMIUM”
Mineral, 1 liter




4-STROKE ENGINE OIL
“PREMIUM”
SAE 10W-40, Mineral, SG, Equivalent to FC-W
1 liter and 5 liter Bottles are available

SUZUKI APPROVED GENUINE OIL by MOTUL

These products are supplied directly by MOTUL.
Please note that these oils are not available in some countries.
Please contact with local distributor of MOTUL.

Suzuki and MOTUL have been in partnership in MotoGP since 1988.
Extending this trusted relationship led to the development of new Suzuki Marine Oils.
These ranges of oils have excellent oxidation stability and provide outstanding rust protection under severe operating conditions.



4-STROKE ENGINE OIL
SAE 10W-30 Semi-Synthetic
5 liter, FC-W



4-STROKE ENGINE OIL
SAE 10W-40 Semi-Synthetic
5 liter, FC-W



2-STROKE
ENGINE OIL (TC-W3)
High Performance 2T Engine Oil
1 liter, TC-W3



4-STROKE
ENGINE OIL (10W-40)
SAE 10W-40 Mineral
1 liter, FC-W



GEAR OIL
SAE 90, API GL-5
0.35 liter

* 4 kinds (1L, 5L, 60L, 208L) of Engine oil volume and 3 kinds (0.35L, 1L, 60L) of Gear oil are available. Please ask your local MOTUL dealer.

ENGINE COVER



68110-89L00-000
Applicable Model DF8A-20A, DT9.9A-15A

68110-88L00-000
Applicable Model DF25/40A-60A, DT25/30

68110-87L00-000
Applicable Model DF70A-140A, DT40

68110-96J00-000
Applicable Model DF150T/Z-250T/Z

68110-98J00-000
Applicable Model DF250AP/300AP



68110-96110-000
Applicable Model DF4A-20A

68110-94400-000
Applicable Model DF25

68110-94510-000
Applicable Model DF40A-60A

FLUSH-HOSE ATTACHMENT



55181-95200-000
Applicable Model DF4A-6A/40A-60A,DT40W



17917-87L00-000
Applicable Model DF8A-300A

2-CYCLE MOTOR OIL



99000-21740-006
CCI OIL Metal can with a cap & nozzle



99000-22B22-000
HYPOID GEAR OIL SAE90 API GL-5
400ml

GREASE



99000-25011-000
SUPER GREASE-A
450 grams (15.8 oz) for Crank oil seal



99000-25350-000
WATER RESISTANT GREASE EP2
450 grams (8.8 oz)



99000-25140-000
MOLY PASTE
50 grams (1.7 oz)



99000-22810-000
Metal can with a cap
1 liter

LIQUID GASKET



93691-80030-000
SILICONE SEAL KE45T
100 grams



99000-31140-000
1207B (BLACK)
100 grams (3.4 oz)



99000-32020-000
1333B (RED)
50 grams (1.7 oz)



99000-32160-000
1342 (BLUE)
50 grams (1.7 oz)

SUZUKI MAINTENANCE KITS

SUZUKI highly recommends you to replace your outboard motor with Maintenance Kits every 100 hours or 1 year, whichever comes first.



ALL LINEUP For 2 STROKE OBM

MODEL YEAR	KIT PART NUMBER	PART NUMBER	PART NAME	QTY
DT9.9/15 ('12)	17400-90830	17400-93912-000	CHROMED WATER PUMP REPAIR SET	1
		09168-10022-000	GASKET,10X17X1.5	2
		55321-90L00-000	ZINC,PROTECTION	3
		09204-02004-000	COTTER PIN	1
		09482-00533-000	SPARK PLUG,BR7HS-10	2
		17685-91D00-000	GASKET,THERMOSTAT COVER	1
DT9.9/15 (A) ('13-)	17400-90830	17400-90L01-000	WATER PUMP REPAIR SET	1
		59178-97100-000	GASKET,DRAIN PLUG	2
		55321-87100-000	ANODE,PROTECTION	1
		55321-90L00-000	ZINC,PROTECTION	2
DT9.9K/15K ('12)	17400-90860	09204-02004-000	COTTER PIN	1
		17400-93912-000	CHROMED WATER PUMP REPAIR SET	1
		09168-10022-000	GASKET,10X17X1.5	2
		55321-90L00-000	ZINC,PROTECTION	3
		09204-02004-000	COTTER PIN	1
		09482-00534-000	SPARK PLUG,B6HS	2
DT9.9K/15K (A) ('13-)	17400-90840	17685-91D00-000	GASKET,THERMOSTAT COVER	1
		17400-94412-000	KIT,WATER PUMP REPAIR	1
		09168-10022-000	GASKET,10X17X1.5	2
		09482-00532-000	SPARK PLUG,B7HS	2
DT25K ('12)	17400-91840	17685-96300-000	GASKET,THERMOSTAT COVER	1
		09204-03003-000	COTTER PIN,D:3.6,L:25	1
		55320-95311-000	ZINC SET, PROTECTION	1
		17400-94412-000	KIT,WATER PUMP REPAIR	1
		09168-10022-000	GASKET,10X17X1.5	2
		09482-00532-000	SPARK PLUG (NGK, B7HS-10)	2
DT25K ('13-14)	17400-91810	17685-96300-000	GASKET,THERMOSTAT COVER	1
		09204-03003-000	COTTER PIN,D:3.6,L:25	1
		17400-94L10-000	KIT,WATER PUMP REPAIR	1
		59178-97100-000	GASKET, DRAIN PLUG	2
		09482-00532-000	SPARK PLUG (B7HS-10)	2
		17685-96300-000	GASKET,THERMOSTAT COVER	1
DT25K ('15-)	17400-91870	09204-03003-000	COTTER PIN,D:3.6,L:25	1
		55321-87100-000	ANODE,PROTECTION	1
		17400-94412-000	KIT,WATER PUMP REPAIR	1
		09168-10022-000	GASKET,10X17X1.5	2
		09482-00533-000	SPARK PLUG,BR7HS-10	2
		17685-96300-000	GASKET,THERMOSTAT COVER	1
DT30 ('12)	17400-91850	09204-03003-000	COTTER PIN,D:3.6,L:25	1
		55320-95311-000	ZINC SET, PROTECTION	1
		17400-94412-000	KIT,WATER PUMP REPAIR	1
		09168-10022-000	GASKET,10X17X1.5	2
		09482-00533-000	SPARK PLUG (NGK, BR7HS-10)	2
		17685-96300-000	GASKET,THERMOSTAT COVER	1
DT30 ('13-14)	17400-91820	09204-03003-000	COTTER PIN,D:3.6,L:25	1
		55321-87100-000	ANODE,PROTECTION	1
		17400-94412-000	KIT,WATER PUMP REPAIR	1
		09168-10022-000	GASKET,10X17X1.5	2
		09482-00533-000	SPARK PLUG (NGK, BR7HS-10)	2
		17685-96300-000	GASKET,THERMOSTAT COVER	1
DT30 ('15-)	17400-91880	09204-03003-000	COTTER PIN,D:3.6,L:25	1
		55321-87100-000	ANODE,PROTECTION	1
		17400-94L10-000	KIT,WATER PUMP REPAIR	1
		59178-97100-000	GASKET, DRAIN PLUG	2
		09482-00533-000	SPARK PLUG (BR7HS-10)	2
		17685-96300-000	GASKET,THERMOSTAT COVER	1
DT40W/40WR ('07LATE- '12)	17400-92830	09204-03003-000	COTTER PIN,D:3.6,L:25	1
		55320-95311-000	ZINC SET, PROTECTION	1
		17400-94412-000	KIT,WATER PUMP REPAIR	1
		09168-10022-000	GASKET,10X17X1.5	2
		09482-00370-000	PLUG,SPARK,BR8HS	2
		17685-94410-000	GASKET,THERMOSTAT COVER	1
DT40W/40WR ('13-)	17400-92810	09204-03003-000	COTTER PIN,D:3.6,L:25	1
		09482-00370-000	PLUG,SPARK,BR8HS	2
		17400-94412-000	KIT,WATER PUMP REPAIR	1
		17685-94410-000	GASKET,THERMOSTAT COVER	1

ALL LINEUP For 4 STROKE OBM

MODEL YEAR	KIT PART NUMBER	PART NUMBER	PART NAME	QTY
DF2/2.5 ('06- '11)	17400-97820	17461-971M0-000	IMPELLER,WATER PUMP	1
		09482-00406-000	SPARK PLUG, CR6HSA	1
		09204-02001-000	COTTER PIN	1
		09168-10022-000	GASKET,10X17X1.5	1
		59178-97100-000	GASKET,DRAIN PLUG	2
		55321-87100-000	ANODE,PROTECTION	1
		09280-33005-000	O RING	1
		09202-02006-000	PIN(2.9X14)	1
		17471-97100-000	PANEL, PUMP CASE UNDER	1
		17472-97100-000	GASKET, PUMP CASE PANEL	1
		17461-971M0-000	IMPELLER,WATER PUMP	1
		09482-00406-000	SPARK PLUG, CR6HSA	1
DF2/2.5 ('12-)	17400-97810	09204-03003-000	COTTER PIN,D:3.6,L:25	1
		09168-10022-000	GASKET,10X17X1.5	1
		59178-97100-000	GASKET,DRAIN PLUG	2
		55321-87100-000	ANODE,PROTECTION	1
		09280-33005-000	O RING	1
		09202-02006	PIN	1
		17471-971JL0	UNDER PANEL	1
		17472-971JL0	GASKET	1
		17400-986L0-000	KIT,WATER PUMP REPAIR	1
		09204-03003-000	COTTER PIN,D:3.6,L:25	1
		09482-00299-000	SPARK PLUG, BPR6ES	1
		09168-10022-000	GASKET,10X17X1.5	3
DF4/5/6 ('02- '10)	17400-91860	55321-87100-000	ANODE,PROTECTION	2
		17412-911J0-000	PANEL, WATER PUMP CASE UPR	1
		17413-911J0-000	SLEEVE, WATER PUMP CASE	1
		15410-98500-000	FUEL, FILTER	1
		17400-986L0-000	KIT,WATER PUMP REPAIR	1
		09204-03003-000	COTTER PIN,D:3.6,L:25	1
		09482-00L04-000	SPARK PLUG, CPR6EA-9	1
		09168-10022-000	GASKET,10X17X1.5	3
		55321-87100-000	ANODE,PROTECTION	2
		17412-911JL0	PANEL	1
		17413-911JL0	SLEEVE	1
		15410-98500	FUEL, FILTER	1
DF4/5/6 ('11- '16)	17400-91830	09168-12017-000	GASKET(12X17X1)	1
		09204-03003-000	PIN	1
		09280-39001-000	O RING(D:2,ID:38.5)	1
		09420-03002-000	KEY	1
		09482-00L04-000	PLUG,SPARK(CPR6EA-9)	1
		16510-16H11-000	FILTER,ENGINE OIL	1
		17412-911J0-000	PANEL,WATER PUMP CASE UPR	1
		17413-911J0-000	SLEEVE,WATER PUMP CASE	1
		17461-985M0-000	IMPELLER,WATER PUMP	1
		17471-98610-000	PANEL,PUMP CASE UNDER	1
		17472-911J0-000	GASKET,PUMP CASE PANEL	1
		44330-13H00-000	FILTER,FUEL	1
DF4A/5A/6A P01 DF4A/6A P03 ('17-)	17400-91890	55321-87101-000	ANODE,PROTECTION	1
		55321-95100-000	ANODE,PROTECTION	1
		59178-97100-000	GASKET,DRAIN PLUG	2
		15410-98500-000	FILTER,FUEL	1
		16510-45H10-000	FILTER ASSY,ENG OIL	1
		09204-02004-000	COTTER PIN	1
		09280-54001-000	O RING(D:2.4,ID:52.6)	1
		09280-13004	O RING(D:1.9,ID:13)	1
		09168-12017-000	GASKET,12X17X1	1
		59178-97100-000	GASKET,DRAIN PLUG	2
		55321-87100-000	ANODE,PROTECTION	2
		09280-22019-000	O RING,D:1.9,ID:21.8	1
DF4A/5A/6A P01 DF4A/6A P03 ('17-)	17400-91890	09482-00528-000	SPARK PLUG, CR6E	2
		17400-99101-000	KIT, WATER PUMP REPAIR	1
		17413-94J00	SLEEVE	1
		17400-94J00-000	KIT, WATER PUMP REPAIR	1
		09204-02004-000	COTTER PIN	1
		09482-00L04-000	SPARK PLUG, CPR6EA-9	2
		16510-45H10-000	FILTER ASSY,ENG OIL	1
		09280-10013-000	O RING(D:2.4,ID:9.6)	1
		55321-99E00-000	ANODE,PROTECTION	1
		55321-90L00-000	ZINC,PROTECTION	1
		09168-12017-000	GASKET,12X17X1	1
		09168-10022-000	GASKET,10X17X1.5	2
DF8A/9.9A ('10-)	17400-99840	17413-94J00-000	SLEEVE, WATER PUMP CASE	1
		15410-98500-000	FUEL, FILTER	1
		17400-99101-000	KIT, WATER PUMP REPAIR	1
		09204-02004-000	COTTER PIN	1
		09482-00L04-000	SPARK PLUG, CPR6EA-9	2
		16510-45H10-000	FILTER ASSY,ENG OIL	1
		09280-10013-000	O RING(D:2.4,ID:9.6)	1
		55321-99E00-000	ANODE,PROTECTION	1
		55321-90L00-000	ZINC,PROTECTION	1
		09168-12017-000	GASKET,12X17X1	1
		09168-10022-000	GASKET,10X17X1.5	2
		17413-94J00-000	SLEEVE, WATER PUMP CASE	1
DF9.9/15 ('11- '13)	17400-94810	15410-98500-000	FUEL, FILTER	1
		17400-99101-000	KIT, WATER PUMP REPAIR	1
		09204-02004-000	COTTER PIN	1
		09482-00L04-000	SPARK PLUG, CPR6EA-9	2
		16510-45H10-000	FILTER ASSY,ENG OIL	1
		09280-10013-000	O RING(D:2.4,ID:9.6)	1
		55321-99E00-000	ANODE,PROTECTION	1
		55321-90L00-000	ZINC,PROTECTION	1
		09168-12017-000	GASKET,12X17X1	1
		09168-10022-000	GASKET,10X17X1.5	2
		17413-94J00-000	SLEEVE, WATER PUMP CASE	1
		15410-98500-000	FUEL, FILTER	1
DF9.9B/15A/20A ('13-)	17400-89810	17400-99101-000	KIT, WATER PUMP REPAIR	1
		09204-02004-000	COTTER PIN	1
		09482-00L04-000	SPARK PLUG, CPR6EA-9	2
		16510-45H10-000	FILTER ASSY,ENG OIL	1
		09280-13004-000	O RING(D:1.9,ID:13)	1
		09280-54001-000	O RING(D:2.4,ID:52.6)	1
		55321-87100-000	ANODE,PROTECTION	2
		09280-22019-000	O RING,D:1.9,ID:21.8	1
		09168-12017-000	GASKET,12X17X1	1
		59178-97100-000	GASKET,DRAIN PLUG	2
		17413-94J00	SLEEVE, WATER PUMP CASE	1
		15410-87L00	FUEL, FILTER	1

MODEL YEAR	KIT PART NUMBER	PART NUMBER	PART NAME	QTY
DF20/25 V2 ('06-)	17400-95870	17400-95J02-000	KIT,WATER PUMP REPAIR	1
		16510-87100-000	FILTER ASSY,OIL	1
		09482-00427-000	SPARK PLUG, BKR6E	2
		09204-03003-000	COTTER PIN,D:3.6,L:25	1
		09168-10022-000	GASKET,10X17X1.5	2
		09168-12012-000	GASKET,12.5X20X2.5	1
		55321-95J00-000	ANODE,PROTECTION	2
		55321-87100-000	ANODE,PROTECTION	5
		09280-10013-000	O RING D:2.4ID:9.6	2
		09280-22019-000	O RING D:1.9ID:21.8	1
		17413-95J00	SLEEVE	1
		15410-87J30	FUEL,FILTER	1
DF25/30 ('01-10)	17400-89820	17400-96353-000	KIT,WATER PUMP REPAIR	1
		16510-87100-000	FILTER ASSY,OIL	1
		09482-00446-000	SPARK PLUG, DCPRG6	3
		09204-03003-000	COTTER PIN,D:3.6,L:25	1
		09168-10022-000	GASKET,10X17X1.5	2
		09168-12012-000	GASKET,12.5X20X2.5	1
DF25A/30A ('15-)	17400-94820	55321-87100-000	ANODE,PROTECTION	1
		11265-87E10-000	GASKET, PROTECTION COVER	1
		15410-87110-000	FUEL,FILTER	1
		17400-94L00-000	KIT, WATER PUMP REPAIR	1
		09204-03003-000	COTTER PIN (D:3.6,L:25)	1
		09482-00L04-000	SPARK PLUG (CPR6E-A-9)	3
DF25A/30A ('15-)	17400-94820	16510-8710-000	FILTER ASSY, OIL	1
		55321-87100-000	ANODE,PROTECTION	5
		09280-22019-000	O RING (D:1.9,ID:21.8)	1
		09168-12017-000	GASKET (12X17X1)	1
		59178-97100-000	GASKET,DRAIN PLUG	2
		17413-94L00-000	SLEEVE, WATER PUMP CASE	1
DF40/50 ('06LATE-10)	17400-87820	15410-87L00-000	FUEL,FILTER	1
		17400-96353-000	KIT,WATER PUMP REPAIR	1
		16510-87100-000	FILTER ASSY,OIL	1
		09482-00446-000	SPARK PLUG, DCPRG6	3
		09204-03003-000	COTTER PIN,D:3.6,L:25	1
		09168-10022-000	GASKET,10X17X1.5	2
DF40/50 ('06LATE-10)	17400-87820	09168-12012-000	GASKET,12.5X20X2.5	1
		55321-87100-000	ANODE,PROTECTION	2
		09280-22019-000	O RING,D:1.9,ID:21.8	2
		15410-87J30-000	FILTER,FUEL	1
		17400-88L00-000	KIT,WATER PUMP REPAIR	1
		09204-03003-000	COTTER PIN,D:3.6,L:25	1
DF40A/50A/60A ('10-)	17400-88810	16510-87100-000	FILTER ASSY,OIL	1
		09482-00446-000	SPARK PLUG, DCPRG6	3
		09168-12012-000	GASKET,12.5X20X2.5	1
		09168-10022-000	GASKET,10X17X1.5	2
		55321-87100-000	ANODE,PROTECTION	3
		09280-22019-000	O RING,D:1.9,ID:21.8	2
DF50A/60A/60A ('14-)	17400-88820	15410-88L00-000	FILTER COMPFUEL	1
		17400-99E10-000	KIT,WATER PUMP REPAIR	1
		09204-03003-000	COTTER PIN,D:3.6,L:25	1
		16510-87100-000	FILTER ASSY,OIL	1
		09482-00446-000	SPARK PLUG, DCPRG6	3
		09168-12012-000	GASKET,12.5X20X2.5	1
DF50A/60A/60A ('14-)	17400-88820	09168-10022-000	GASKET,10X17X1.5	2
		55321-87100-000	ANODE,PROTECTION	3
		09280-22019-000	O RING,D:1.9,ID:21.8	2
		15410-88L00-000	FILTER COMPFUEL	1
		17400-99E10-000	KIT,WATER PUMP REPAIR	1
		09204-03003-000	COTTER PIN,D:3.6,L:25	1
DF60 ('09LATE--09END)	17400-99850	16510-87100-000	FILTER ASSY,OIL	1
		09482-00299-000	SPARK PLUG, BPR6ES	4
		09204-03003-000	COTTER PIN,D:3.6,L:25	1
		09168-10022-000	GASKET,10X17X1.5	2
		09168-12012-000	GASKET,12.5X20X2.5	1
		55321-87100-000	ANODE,PROTECTION	1
DF60 ('09LATE--09END)	17400-99850	11265-87E10-000	GASKET, PROTECTION COVER	1
		17416-99E10-000	SEALING, WATER PUMP CASE	1
		17413-99E11-000	SLEEVE, WATER PUMP CASE	1
		15410-87J30-000	FILTER,FUEL	1
		17400-87E04-000	KIT,WATER PUMP REPAIR	1
		16510-87100-000	FILTER ASSY,OIL	1
DF60/70 ('07)	17400-99870	09482-00299-000	SPARK PLUG, BPR6ES	4
		09204-03003-000	COTTER PIN,D:3.6,L:25	1
		09168-10022-000	GASKET,10X17X1.5	2
		09168-12012-000	GASKET,12.5X20X2.5	1
		55321-87100-000	ANODE,PROTECTION	1
		11265-87E10-000	GASKET, PROTECTION COVER	1
DF60/70 ('08-09EARLY)	17400-99860	15410-87J30-000	FILTER,FUEL	1
		17400-99E01-000	KIT,WATER PUMP REPAIR	1
		16510-87100-000	FILTER ASSY,OIL	1
		09482-00299-000	SPARK PLUG, BPR6ES	4
		09204-03003-000	COTTER PIN,D:3.6,L:25	1
		09168-10022-000	GASKET,10X17X1.5	2
DF60/70 ('08-09EARLY)	17400-99860	09168-12012-000	GASKET,12.5X20X2.5	1
		55321-87100-000	ANODE,PROTECTION	1
		11265-87E10-000	GASKET, PROTECTION COVER	1
		17416-99E00-000	SEALING, WATER PUMP CASE NO1	1
		17413-99E11-000	SLEEVE, WATER PUMP CASE	1
		17417-99E00-000	SEALING, WATER PUMP CASE NO2	1
15410-87J30-000	FILTER,FUEL	1		

ZINC ANODE for saltwater



55300-95500-000
Applicable Model DF8A/9.9A/40A-60A,
DT25K-40W



55320-95311-000
Applicable Model DF40A-60A/150-300AP



55125-96310-000
Applicable Model DF25/R/Q



55321-90J01-000
Applicable Model DF50AV/60AV/100A-140A

ALUMINUM ANODE for brackish water, saltwater



55321-87J01-000
Applicable Model DF2.5-300AP,
DT9.9AK/15AK



55320-94900-000
Applicable Model DF60A-300AP



55321-95J00-000
Applicable Model DF2.5,DF4A-6A

55321-93J01-000
Applicable Model DF150-300A

MAGNESIUM ANODE for freshwater



55321-87J11-000
Applicable Model DF4A-300AP,DT9.9A/15A



55321-94910-000
Applicable Model DF70A-300AP

MESH CAP

High breathability cap will be good for summer season.
Front: Cotton 100% Back: Polyester 100%

99000-990X7-MY1



CAP

Standard cap with "SUZUKI MARINE" logo. Simple design
can be used for all situation.
Cotton 100%

99000-990X7-MY2



CAP & NECK CAPE

Functional cap with neck cape protects you from sunshine front
and back side.
Also can be used as normal cap, when you take off the neck cape.
Nylon: 100%

99000-990X7-MY5



SUN VISOR

Sun visor with "SUZUKI MARINE" logo. Protect your face from
strong sunshine.
Cotton 100%

99000-990X7-MY3



FACE GUARD

Protect your face from heavy rain and wind on the boat.
Soft material on the part of the mouth and
wind-protection -fleece material on the
whole neck part are used. It gives you
comfort and moisture-retaining property.
Outer layer: Polyester 100%
Middle layer: Polyurethane 100%
Inner layer: Polyester 100%

99000-990X7-MY6



KNIT BEANIE

Knit cap with "SUZUKI MARINE" logo. Easy to carry in compact
size. It is "Must-item" for the winter season.
Acryl 100%

99000-990X7-MY4



SUNGLASS

Polarizing glasses is used to protect your eyes. Including a case
and tool to adjust frame.
Frame: Aluminum Glass: plastic
*Not CE approved

99000-990X7-MY7



LIGHT GLOVES

Functional and useful glove for working on the boat.
Mesh material for quick drying is used to the back of the hand.
Anti-slip Suede material and
adjustable buckle is used to
the palm part.
Back: Polyester 100%
Palm: Polyurethane 100%

M: 99000-990X7-MLM
L: 99000-990X7-MLL
XL: 99000-990X7-MLX



BEAR DOLL

A cute bear doll wearing "SUZUKI
MARINE" T-shirts made from soft
material. It gives you a brief moment
of healing. We express kindness and
sincerity for the customer with
this item.
Polyester 100%

99000-990X7-MY8



Recommended STEERING SYSTEM supplied by



www.seastarsolutions.com

Order taking, delivery, technical support and warranty for these products are handled by SeaStar Solutions.
Please consult to local SeaStar Solutions distributor or dealer if you need more detail for product information, price, availability and all business terms.

STEERING KIT

BAYSTAR™



BAYSTAR OUTBOARD SYSTEM - HK4200A-3			
System comprises:			
BayStar Helm 1.4cu" (22.94cc)		HH4314-3	
BayStar Compact Cylinder		HC4645H*	
20ft "cut to length" tubing kit		HT4420H	
2 x litre SeaStar hydraulic oil		HA5430	

*Note: 115-140hp four stroke 2001 to current model require HC4658H.

BAYSTAR PLUS™



BAYSTAR PLUS OUTBOARD SYSTEM - HK4500A-3			
System comprises:			
BayStar Plus Helm 1.4cu" (22.94cc)		HH4514-3	
BayStar Compact Cylinder		HC4645H*	
2 x litre SeaStar hydraulic oil		HA5430	

*Note: 115-140hp four stroke 2001 to current model require HC4658H.

SEASTAR™



SEASTAR OUTBOARD SYSTEM - HK6400-3			
System comprises:			
SeaStar Helm 1.7cu" (27.80cc)		HH5271-3	
SeaStar Pivot Cylinder		HC5345-3*	
2 x litre SeaStar hydraulic oil		HA5430	

*Note: 115-140hp 1996 only requires HC5348, 40-140hp four stroke 1998 to current model and 90hp four stroke 2003 to current model require HC5358.

SEASTAR™



TOURNAMENT CYLINDER AND ADJUSTABLE TIE BAR

CONFIGURATION	CYLINDER		HARDWARE KIT		TIE BAR			
	PART NO.	QTY.	PART NO.	QTY.	PART NO.	QTY.	CENTER TO CENTER DISTANCE (IN)	CENTER TO CENTER DISTANCE (MM)
Twin Engine - Single Cylinder (STBD)	HC6845	1	HA6802	1	HO6821	1	25.0 - 25.6	635 - 650
					HO6822		25.7 - 30.6	653 - 777
					HO6823		30.7 - 39.0	780 - 991
Twin Engine - Dual Cylinder	HC6845	2	HA6804	1	HO6820	1	25.0 - 26.5	635 - 673
					HO6821		26.6 - 29.3	676 - 744
					HO6822		29.4 - 34.2	747 - 869
					HO6823		34.3 - 43.0	871 - 1092

SEASTAR™



SEASTAR POWER ASSIST

SEASTAR OUTBOARD POWER ASSIST SYSTEM			
System comprises:			
SeaStar Helm 1.7cu" (27.80cc)		HH5271-3	
SeaStar Pivot Cylinder		HC5345-3*	
2 x litre SeaStar hydraulic oil		HA5430	
SeaStar 12v Power Assist Unit		PA1200-2	

*Note: 115-140hp 1996 only requires HC5348, 40-140hp four stroke 1998 to current model and 90hp four stroke 2003 to current model require HC5358.

*For further application information please refer to www.seastarsolutions.com

		75 HP	115 HP	150 HP	200 HP	250 HP	300 HP	300 HP+
BAYSTAR	OPTIMUM				As specialists in the art of steering, SeaStar Solutions take the recommendation of steering systems very seriously especially as modern outboard engines become more powerful. Unlike other steering manufacturers we prefer to make systems recommendations based on "optimum comfort"			
	MAXIMUM							
BAYSTAR PLUS	OPTIMUM							
	MAXIMUM							
SEASTAR OUTBOARD SYSTEM	OPTIMUM							
	MAXIMUM							
SEASTAR TOURNAMENT	OPTIMUM							
	MAXIMUM							
SEASTAR POWER ASSIST OUTBOARD SYSTEM	OPTIMUM							
	MAXIMUM							

OPTIMUS EPS

A Higher Level Of Engineering Sophistication
The Optimus EPS system replaces the traditional hydraulic steering system.
For single, twin, triple and quad engine applications.

Advantages of Optimus EPS

- No oil at helm
- Boat that steers like a sports car
- Plug and play autopilot compatibility
- No auto pilot pump or rudder feedback unit
- Auto adjusting speed sensitive wheel effort
- Auto adjusting speed sensitive turns lock to lock
- Can be retrofitted to existing mechanical and electronic controlled engines. You do not have to buy new engines
- No tie-bars (twin configuration)
- No liquid tie-bar (CAT)
- On demand pumps which extend battery life
- Components based on existing SeaStar reliability and quality
- NMEA 2000 Certified




OPTIMUS 360

The patented Optimus 360 system builds on the Optimus EPS. Optimus 360 steering/shift/throttle control system is engineered for powerboats with electronic shift and throttle engines, allowing you to use the existing electronic controls. Optimus 360 connects to the existing control head with closed loop processing, providing a very seamless integration.



Advantages of Optimus 360

- Intuitive high precision Joystick docking with confidence
- Seamless integration with electronic controlled engines
- Autopilot ready - just a simple connection
- Dual station compatible
- Tiebar engines (triple) – less components, simple installation, less cost
- Available as a retrofit or for new engine installation
- All the benefits of Optimus EPS, including auto adjusting steering effort and steering turns lock to lock
- Supports Twin and Triple Suzuki Precision Control Engines



APPLICATION CHART

[illegible][illegible][illegible][illegible]